

- Never charge a lithium polymer battery with a charger designed for NiCd, NiMH, or any other type of battery chemistry. Use ONLY charger designed for LiPo battery.
- Always have LiPo battery disconnected during charging.
- Do not overcharge the battery.
- Always place the battery on a heat resistant surface above when charging.
- Always put the LiPo battery in a fireproof container while charging.
- Do not allow LiPo cells to overheat at any time. Cells which reach greater than 140° Fahrenheit (60°C) will usually become damaged and will catch fire.
- Do not touch the battery with bare hands. Do not touch the battery, plastic, carpets, vinyl, leather, and wood. Inside an RC model or full size automobile.
- Do not over discharge LiPo, doing so will damage the battery.
- Do not expose LiPo battery to moisture.
- Do not store battery near open flame or heater.
- Do not store battery in a plastic bag.
- Always store LiPo battery in a secure location away from children.
- Always remove the LiPo battery if model is involved in any kind of crash. Carefully inspect the battery for damage. Do not use the battery if it is damaged. LiPo cells are not packable.
- Do not allow the electrolyte to get into eyes or on skin. Wash affected areas immediately if they come into contact with electrolyte. Do not alter or modify connectors or wires of a battery pack.
- Always inspect the condition of the battery before charging and operating.
- Do not short circuit the LiPo battery.
- Do not have contact with any damaged battery directly.
- Do not charge battery out of recommended temperature range (0°C-45°C)