

NYLI-6

6" Medium Base Cylinder

Source: 250W max.

R/BR LED or Incandescent

Type

Project

Catalog No.

Notes

PRODUCT DESCRIPTION

Architectural grade cylinder with medium base socket attached to a deep cone reflector or baffle for optimal visual comfort. 2-piece cylinder allows for easy installation and multiple mounting options. Use with incandescent BR/PAR lamps or with energy efficient long life LED lamps.

FEATURES

- Medium base socket rated up to 250W
- Compatible with incandescent or LED lamps
- Can be factory labeled with reduced wattage
- Reflector or baffle
- 5-Year Limited Warranty

CONSTRUCTION

Cylinder Cap: High quality 0.040" steel cap with universal slots to allow for direct mounting to junction box for surface mount. Incorporates all thread in the center for the installation of a cable or pendant rod kit for the corresponding mounting method. Three screws on the bottom of cap secure cylinder body to cylinder cap. (Adjustable with flathead screw drive)

Cylinder Body: 0.040" steel cylindrical body with three keyhole slots allowing body to be installed to cylinder cap. Spring brackets accept torsion wing trim springs. Four butterfly clips also accommodated for spring-less trims.

INSTALLATION

Cable Mount: Cylinder comes with 8' of field cuttable aircraft cable and offset cable for power and dimming.

Pendant Mount: Cylinder includes a canopy and 7' (consisting of (3) 12" and (2) 24") of internally threaded rods.

Surface & Wall Mount: Cylinder is supplied with hardware to mount directly over junction box.

ELECTRICAL

Input Voltage: 120V

Socket: Medium base

Lamp: R/BR/PAR LED or incandescent
(PAR30 short neck is not compatible)

Wattage: 250W max.

(can be labeled for reduced wattage)

Dimming: Varies depending on lamp.

LISTINGS AND WARRANTY

- cULus Listed for Damp Locations (Wall mount is listed for wet locations)
- [5-Year Limited Warranty](#)



PRODUCT IMAGES (ADDITIONAL IMAGES ON NEXT PAGES)



NYLI-6C
Cable Mounted



NYLI-6P
Pendant Mounted





NYLI-6S
Surface Mounted



NYLI-6W
Wall Mounted

PRODUCT DIMENSIONS



6" Medium Base Cylinder

Mounting Type	Lamp Source / Max. Wattage	Reflector Type	Reflector / Flange Finish	Cylinder Finish	Cable Mount Only
NYLI-6C Cable	I = Incandescent (labeled with 250W max.)	1 = Reflector	BB = Black / Black	B = Black	AC = Aircraft cable
NYLI-6P Pendant ¹	L(XX) = LED specific	2 = Baffle	WW = White / White	W = White	(cable mount only)
NYLI-6S Surface	(labeled with lower wattage for LED lamps, replace XX with desired wattage)				
NYLI-6W Wall Mount					

Example: **NYLI-6C1L20WWWAC** = 6" Medium Base Cylinder, Cable Mount, Labeled for 20W max., White Reflector / White Flange with White Cylinder, Aircraft Cable

NYLI-6

6" Medium Base Cylinder

Source: 250W max.

R/BR LED or Incandescent

Type _____

Project _____

Catalog No. _____

Notes _____

Cable Mounted - Product Images



NYLI-6C11BBBAC
Black Reflector
Black Flange
Black Cylinder



NYLI-6C11WWBAC
White Reflector
White Flange
Black Cylinder



NYLI-6C12BBBAC
Black Baffle
Black Flange
Black Cylinder



NYLI-6C12WWBAC
White Baffle
White Flange
Black Cylinder



NYLI-6C11BBWAC
Black Reflector
Black Flange
Black Cylinder



NYLI-6C11WWWAC
White Reflector
White Flange
Black Cylinder



NYLI-6C12BBWAC
Black Baffle
Black Flange
Black Cylinder



NYLI-6C12WWWAC
White Baffle
White Flange
Black Cylinder

NYLI-6

6" Medium Base Cylinder

Source: 250W max.

R/BR LED or Incandescent

Type _____

Project _____

Catalog No. _____

Notes _____

Stem Mounted - Product Images



NYLI-6PI1BBB
Black Reflector
Black Flange
Black Cylinder



NYLI-6PI1WWB
White Reflector
White Flange
Black Cylinder



NYLI-6PI2BBB
Black Baffle
Black Flange
Black Cylinder



NYLI-6PI2WWB
White Baffle
White Flange
Black Cylinder



NYLI-6PI1BBW
Black Reflector
Black Flange
Black Cylinder



NYLI-6PI1WWW
White Reflector
White Flange
Black Cylinder



NYLI-6PI2BBW
Black Baffle
Black Flange
Black Cylinder



NYLI-6PI2WWW
White Baffle
White Flange
Black Cylinder

NYLI-6

6" Medium Base Cylinder

Source: 250W max.

R/BR LED or Incandescent

Type

Project

Catalog No.

Notes

Surface Mounted - Product Images



NYLI-6S11BBB
Black Reflector
Black Flange
Black Cylinder



NYLI-6S11WWB
White Reflector
White Flange
Black Cylinder



NYLI-6S12BBB
Black Baffle
Black Flange
Black Cylinder



NYLI-6S12WWB
White Baffle
White Flange
Black Cylinder



NYLI-6S11BBW
Black Reflector
Black Flange
Black Cylinder



NYLI-6S11WWW
White Reflector
White Flange
Black Cylinder



NYLI-6S12BBW
Black Baffle
Black Flange
Black Cylinder



NYLI-6S12WWW
White Baffle
White Flange
Black Cylinder

NYLI-6

6" Medium Base Cylinder

Source: 250W max.

R/BR LED or Incandescent

Type _____

Project _____

Catalog No. _____

Notes _____

Wall Mounted - Product Images



NYLI-6W11BBB
Black Reflector
Black Flange
Black Cylinder



NYLI-6W11WWB
White Reflector
White Flange
Black Cylinder



NYLI-6W12BBB
Black Baffle
Black Flange
Black Cylinder



NYLI-6W12WWB
White Baffle
White Flange
Black Cylinder



NYLI-6W11BBW
Black Reflector
Black Flange
Black Cylinder



NYLI-6W11WWW
White Reflector
White Flange
Black Cylinder



NYLI-6W12BBW
Black Baffle
Black Flange
Black Cylinder



NYLI-6W12WWW
White Baffle
White Flange
Black Cylinder