



**Ellipta® Monitor Arm
for Flat Screen**




More flexibility



Better communication




More creative freedom




1. Universal Post with USB Ports includes 4 (2.0) USB ports, and can be clamp mounted to desk top or through mounted in a standard grommet hole up to Ø80 mm (3 1/8"). Accommodates desk top thicknesses of 8 to 75 mm (5/16" to 3").
2. Universal post heights of 260 or 570 mm (10 1/4" or 22 1/2") allow for mounting of multiple arms on a single post.
3. Sliding clamp for quick height adjustment without tools.
4. Flexible, lateral rotation at each joint for an unlimited range of settings.
5. Spring tension can be easily adjusted to counterbalance the weight of the monitor.
6. Vertical adjustment up to 228 mm (9") for optimal screen height.
7. 180° of lateral swivel
8. 180° of tilt range for proper screen angle
9. Mounting bracket includes both 75 and 100 mm (3" and 4") patterns to comply with VESA (Visual Electronics Standards Association) mounting standards. Rotate flat screen between landscape and portrait positions.
10. Cable guides gather and secure monitor wires, keeping the work surface clear of unsightly cables.


Range of Adjustment:



With Short Arm




With Medium Arm



With Long Arm

Dimensional data not binding. We reserve the right to alter specifications without notice.

Ellipta®



Short Arm - Basic


- Swivel and Tilt only
- No spring
- Extends 90 mm (3 9/16")

Material: Aluminum, die-cast; Pins: Stainless Steel

Color	Item No.
silver RAL 9006	818.11.976

Supplied With

4 M4 screws for screen attachment



Medium Arm - Basic



- Economical option to Classic arm
- Extends 265 mm (10 7/16") at full extension

Material: Aluminum, die-cast; Pins: Stainless Steel

Color	Item No.
silver RAL 9006	818.11.959

Supplied With

4 M4 screws for screen attachment



Long Arm - Basic


- Economical option to Classic arm
- Extends 440 mm (17 5/16") at full extension

Material: Aluminum, die-cast; Pins: Stainless Steel

Color	Item No.
silver RAL 9006	818.11.939

Supplied With

4 M4 screws for screen attachment



Medium Arm - Classic



- Full movement
- Extends 340 mm (13 3/8") at full extension

Material: Aluminum, die-cast; Pins: Stainless Steel

Color		Item No.
silver RAL 9006	3 - 5 kg (6.6 - 11 lbs.) (most 15" and 17" flat screens)	818.11.942
	5 - 7.5 kg (11 - 16.5 lbs.) (most flat screens up to 24")	818.11.952

Supplied With

4 M4 screws for screen attachment



Long Arm - Classic

- Full movement
- Extends 510 mm (20 1/16") at full extension

Material: Aluminum, die-cast; Pins: Stainless Steel

Color		Item No.
silver RAL 9006	3 - 5 kg (6.6 - 11 lbs.) (most 15" and 17" flat screens)	818.11.903
	5 - 7.5 kg (11 - 16.5 lbs.) (most flat screens up to 24")	818.11.932

Supplied With

4 M4 screws for screen attachment

Note

Mounting posts and options to be ordered separately (refer to next page).

Dimensions in mm
Inches are approximate

Ellipta® Accessories



Universal Mounting Post

- USB hub includes 4 (2.0) USB ports for quick and easy connection of peripherals
- Clamp mount to desk top, or through mount in a standard grommet hole up to Ø80 mm (3 1/8")
- Accommodates desk top thicknesses of 8 - 75 mm (5/16" - 3")
- 570 mm (22 1/2") post allows for stacking up to 4 monitors on a single post

Material: Aluminum, die-cast; Color: silver RAL 9006

Height	Item No.
260 (10 1/4")	818.11.881
570 (22 1/2")	818.11.883

Supplied With

Sliding clamp for arm attachment



Channels on the back for cable management

Mounting Posts

- Fits in mounting bases on the left (order separately)

Material: Aluminum, die-cast; Color: silver RAL 9006

Length	Item No.
250 (9 7/8")	818.10.901
530 (20 7/8")	818.10.902



Wall Mount Bracket

- Designed to attach the *ellipta* arm directly to the wall

Material: Aluminum, die-cast

Color	Item No.
silver RAL 9006	818.11.980

Note

Arm sold separately, refer to page 5.14.



Through-Mount Base

- Accepts mounting posts on the right (order separately)
- Secured through a standard Ø60 mm (2 3/8") grommet hole
- Maximum desktop thickness 50 mm (2")
- Recommended for heavier screens or multiple screen mount applications

Material: Aluminum, die-cast

Color	Item No.
silver RAL 9006	818.10.921



Clamp-Mount Base

- Accepts mounting posts on the right (order separately)
- Maximum desktop thickness, 50 mm (2")
- Not recommended for multiple screen mount applications

Material: Aluminum, die-cast

Color	Item No.
silver RAL 9006	818.10.920




Sliding Arm Clamps

- Used to attach monitor arms to post
- Adjust multiple arms independently on a single post
- Lever clamp action allows for quick height adjustment
- Sleeve protects the mounting post

Material: Aluminum, die-cast; Sleeve: Plastic
Color: silver RAL 9006

Version	Item No.
single	818.11.969
double	818.11.965



Universal Slat Wall Bracket

- Clamps into most existing slat walls
- 3-way adjustment, includes bubble level for exact leveling

Material: Aluminum, die-cast

Color	Item No.
silver RAL 9006	818.11.981

Supplied With

Bracket
Cover plate

Dimensions in mm
Inches are approximate