



### Zipbolt

- Accepts a standard 4 mm or 5 mm hex bit (see below)
- Zipbolt connectors are ideal for use in: countertops, staircase assembly, furniture construction, millwork joinery and more
- Additional Zipbolts are available by request








**Note**

A variation of bore size of 12.5 – 13 mm for insert screw may be required for hardwoods or when drilling into end grain.



**Note**

A variation of bore size of 12.5 – 13 mm for insert screw may be required for hardwoods or when drilling into end grain.



### 13.500 ST Maxi – UT

- (X) Shaft center = 10 mm (25/64")
- (M) = Minimum bore depth: 20 mm (51/64")
- Requires 5 mm hex bit

Material: Steel; Housing: Zinc

Item No.
262.96.873

### 11.720 Mini Half Miter – UT

- (X) Shaft center = 5.5 mm (13/64")
- (M) = Minimum bore depth: 12.5 mm (31/64")
- Requires 4 mm hex bit

Material: Steel; Housing: Zinc

Item No.
262.96.854

### 10.500 Draw Bolt – UT

- (X) Shaft center = 10 mm (25/64")
- (M) = Minimum bore depth: 20 mm (51/64")
- Requires 5 mm hex bit

Material: Steel; Housing: Zinc

Item No.
262.96.844

### 10.600 Draw Bolt – UT

- (X) Shaft center = 10 mm (25/64")
- (M) = Minimum bore depth: 20 mm (51/64")
- Requires 5 mm hex bit

Material: Steel; Housing: Zinc

Item No.
262.96.840

### 10.700 Draw Bolt – UT

- (X) Shaft center = 10 mm (25/64")
- (M) = Minimum bore depth: 20 mm (51/64")
- Requires 5 mm hex bit

Material: Steel; Housing: Zinc

Item No.
262.96.841

### Hex Bit

- For use with ZIPBOLT – UT

Material: Steel

Dimensions	Item No.
4 x 50	006.37.196
5 x 50	006.37.195

Dimensional data not binding. We reserve the right to alter specifications without notice.