

Output

CheckMe!

Display

Superheat

Subcooling

HVACAGUIDE

Fieldniece HG3

bustion

MAX 30VDC

CONNECT ONLY TO ACCESSORY HEADS

Input

Target

Evaporator

Exit Temp

Logger

FULL SYSTEM ANALYSIS IN REAL TIME

Upgrades from HG2

- Wireless Measurements
- Measures 13 Parameters Simultaneously
 - CFM Test for Air Balancing
 - Data Logs Multiple Parameters
 - Turns Accessory Heads into Wireless



Unmatched Accuracy

> HG3 System **Analyzer**



Professional-grade instruments for HVACR field service

Instant Full System Snapshot



The new WIRELESS HG3 System Analyzer and ET2W Transmitter turn any Fieldpiece Accessory Head into a WIRELESS device! The HG3 walks you step-by-step through critical HVAC tests. With the wireless capability, all your measurements are taken in real-time, so you can diagnose a system more accurately.

How it Works

1. Select a Test on the Dial

- CFM Calculator
- Multi-Parameter Data Logging
- CheckMe!® Full System Analysis Test
- Subcooling
- Superheat
- Combustion Analysis
- Target Superheat Calculator
- Target Evaporator Exit Temp (Delta T)




2. Input Data on the INPUT FORM (Wirelessly or directly)



Subcooling INPUT FORM

3. View Results on the OUTPUT FORM



Subcooling OUTPUT FORM




Improve Customer Confidence and Document Your Jobs

- Store up to 200 Tests on HG3
- Download Test Data to PC
- Print Out Test Results for Billing and Documentation

All tests can be saved, downloaded to a PC and printed out. You can easily review the measurements on the HG3 with your customers while you're receiving data wirelessly, and show them what the recommended fixes are.

To provide verification, you can also download the tests to a personal computer and print out the results for your customers. Plus you can store all the data for reference the next time you are called to the job site.



HG3 HVAC Guide® System Analyzer



What's Included

- HG3 HVAC Guide® System Analyzer
- ET2W Wireless Transmitter
- ATH4 Dual Temperature Accessory Head
- ATA1 Dry Bulb Thermocouple
- ATWB1 Wet Bulb Thermocouple
- ANC8 Carrying Case
- CD for PC Software and Connector

Available Kits

Airflow Kit — The HG3K7AF gives you three ways to do
Airflow: 1) At the grille with the AAV3 vane anemometer.
2) In the duct with the AAT3, hot wire anemometer. 3) With the ATH4 temperature head using the Target Evap Exit Temp (Delta T) test. Includes three ET2W wireless transmitters and four accessory heads.

Charging Kit — With the HG3K8C you can do your superheat or subcooling while simultaneously checking airflow with the Target Evap Exit Temp (Delta T) test. Includes four ET2W wireless transmitters and four accessory heads.







