

MATERIAL SAFETY DATA SHEET - CALIBRATION CHECK GAS

PRODUCT NAME: PENTANE (0 – 0.75%) IN AIR

MSDS NO: 153		Version:3	Version:3 Date: March		
1.	Chemical Product and Company Identification				
	Gasco Affiliates, LL0 320 Scarlett Blvd. Oldsmar, FL 34677	2			
	TELEPHONE NUMB FAX NUMBER: (866) E-MAIL: info@gasco	755-8920	24-HOUR EMERGENCY NUMBER:	1-800-424-9300	
	PRODUCT NAME: P CHEMICAL NAME: F COMMON NAMES/ S TDG (Canada) CLAS WHIMIS CLASSIFIC/	SYNONYMS: None SIFICATION: 2.2	ΝR		

2. COMPOSITION/ INFORMATION ON INGREDIENTS

INGREDIENT	%VOLUME	PEL-OSHA	TLV-ACGIH	LD ₅₀ or LC ₅₀ Route/Species
Pentane FORMULA: C ₅ H ₁₂	0 to 0.75%	1000 ppm TWA	600 ppm	LC ₅₀ 364 g/m ³ /4 hours (rat)
Air FORMULA: Mixture	99.25 to 99.999%	N/A	N/A	N/A

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This product is a colorless gas mixture which is either odorless or has a faint solvent like odor. Pentane can cause anesthetic or peripheral neuropathy effects.

ROUTE OF ENTRY:

Skin Contact	Skin Absorption	Eye Contact	Inhalation	Ingestion
No	No	No	Yes	No
HEALTH EFFECTS:				
Exposure Limits	Irritant	Sensitization	Reproductive Hazard	Mutagen
No	No	No	Yes	No
Coroine genicity NTD: No				

Carcinogenicity: --NTP: No IARC: No OSHA: No

EYE EFFECTS:

N/A

SKIN EFFECTS: N/A

INGESTION EFFECTS:

Ingestion unlikely. Gas at room temperature.



MATERIAL SAFETY DATA SHEET - CALIBRATION CHECK GAS

PRODUCT NAME: PENTANE (0 – 0.75%) IN AIR

INHALATION EFFECTS:

Due to the small size of this cylinder, no heath hazards are anticipated if used in normal circumstances. Exhilaration, dizziness and headache can occur at levels higher than 0.5%. Long-term over-exposure can cause chronic neurological disorder causing damage to the nerves in the hands and feet.

NFPA HAZARD CODES		HMIS HAZARD CODES		RATING SYSTEM
Health: Flammability: Reactivity:	1 0 0	Health: Flammability: Reactivity:	1 0 0	0= No Hazard 0= Slight Hazard 2= Moderate Hazard 3= Serious Hazard 4= Severe Hazard

4. FIRST AID MEASURES

EYES: N/A

IN/A

SKIN: N/A

N/A

INGESTION:

Not required

INHALATION:

PROMPT MEDICAL ATTENTION IS MANDATORY IN ALL CASED OF OVEREXPOSURE. RESCUE PERSONNEL SHOULD BE EQUIPPED THE SELF-CONTAINED BREATHING APPARATUS. Victims should be assisted to an uncontaminated area and inhale fresh air. Quick removal from the contaminated area is most important. If breathing has stopped administer artificial resuscitation and supplemental oxygen. Further treatment should be symptomatic and supportive.

5. FIRE-FIGHTING MEASURES

These containers hold gas under pressure, with no liquid phase. If involved in a major fire, they should be sprayed with water to avoid pressure increases, otherwise pressures will rise and ultimately they may distort or burst to release the contents. The gases will not add significantly to the fire, but containers or fragments may be projected considerable distances - thereby hampering fire fighting efforts.

6. ACCIDENTAL RELEASE MEASURES

In terms of weight, these containers hold very little contents, such that any accidental release by puncturing etc. will be of no practical concern.

7. HANDLING AND STORAGE

Suck back of water into the container must be prevented. Do not allow backfeed into the container. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Use only in well-ventilated areas. Do not heat cylinder by any means to increase rate of product from the cylinder. Do not allow the temperature where cylinders are stored to exceed 130°F (54°C).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Use adequate ventilation for extended use of gas.



MATERIAL SAFETY DATA SHEET - CALIBRATION CHECK GAS

PRODUCT NAME: PENTANE (0 – 0.75%) IN AIR

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Use adequate ventilation for extended use of gas.

9. PHYSICAL AND CHEMICAL PROPERTIES

PARAMETER:
Physical state
Evaporation point
pH
Odor and appearance

VALUE: : Gas : N/A : N/A : Colorless, odorless or faint solvent like odor

10. STABILITY AND REACTIVITY

Stable under normal conditions. Expected shelf life 48 months.

11. TOXICOLOGICAL INFORMATION

Due to the small size of this cylinder no toxicological damage is caused by this product.

12. ECOLOGICAL INFORMATION

Due to the small size of this cylinder no ecological damage is caused by this product.

13. DISPOSAL INFORMATION

Do not discharge into any place where its accumulation could be dangerous. Used containers are acceptable for disposal in the normal waste stream as long as the cylinder is empty and valve removed or cylinder wall is punctured; but GASCO encourages the consumer to return cylinders.

14. TRANSPORT INFORMATION

PROPER SHIPPING NAME:	<u>United States DOT</u> Compressed Gas N.O.S. (Pentane in Air)	<u>Car</u> Cor (Pe
HAZARD CLASS:	2.2	2.2
IDENTIFICATION NUMBER: SHIPPING LABEL:	UN1956 NONFLAMMABLE GAS	UN

<u>Canada TDG</u> Compressed Gas N.O.S. Pentane in Air) ..2 JN1956 NONFLAMMABLE GAS

15. **REGULATORY INFORMATION**

Pentane is listed under the accident prevention provisions of section 112(r) of the Clean Air Act (CAA) with a threshold quantity (TQ) of 10,000 pounds each.

16. OTHER INFORMATION

This MSDS has been prepared in accordance with the Chemicals (Hazard Information and Packaging for Supply (Amendment) Regulation 1996. The information is based on the best knowledge of GASCO, and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for other purposes than it is intended.

MSDS/S010/153/ March, 2012