

HI 84431-50 Titrant Solution for Low Range Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

Revision Date: 2013-07-01

Reason for Revision: Regulation (EC) No. 1272/2008 Compliance

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: HI 84431-50 Titrant Solution for Low Range **Application:** For Determination of Titratable Alkalinity

Company Information (USA):

Hanna Instruments, Inc.

584 Park East Dr, Woonsocket, Rhode Island, USA 02895

Technical Service Contact Information: 1-800-426-6287 (8:30AM - 5:00PM ET)

+1-401-766-4260 (8:30AM - 5:00PM ET) **USA Emergency Contact Information:**1-800-424-9300 (Chemtrec 24Hr. Emergency)

International Emergency Contact Information: +1-703-527-3887 (Chemtrec 24Hr. Emergency)

E-mail Address:

SECTION 2: HAZARD IDENTIFICATION

Non-hazardous product as specified in Directives 67/548/EEC and 1999/45/EC.

Non-hazardous product as specified in OSHA Regulation 29 CFR 1910.1200.

Non-hazardous product as specified in Canadian Regulation SOR/88-66.

Non-hazardous product as specified in Regulation (EC) 1272/2008.

According to Directives 67/548/EEC and 1999/45/EC:

S-phrases: 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

SECTION 3: COMPOSITION AND COMPONENT INFORMATION

 Component:
 EC No:
 CAS No:
 Hazard Class:
 Phrases:
 Concentration:

 Sulfuric acid
 231-639-5
 7664-93-9
 Skin Corr. 1A
 H314
 > 0.5% - < 5%</td>

 C
 R: 35

SECTION 4: FIRST AID MEASURES

After Inhalation: Remove to fresh air.

After Skin Contact: Wash affected area with plenty of water.

After Eye Contact: Rinse out with plenty of water.

After Swallowing: Wash out mouth thoroughly with water and give plenty of water to drink. In severe cases obtain medical attention.

General Information: Not available

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.

Special Risks:

Development of hazardous combustion gases or vapors possible in the event of fire. Hydrogen may form upon contact with metals (danger of explosion!). The following may develop in event of fire: Sulfur Oxides

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Contain escaping vapors with water.



HI 84431-50 Titrant Solution for Low Range Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Do not inhale vapors/aerosols.

Environmental Precautions:

Do not discharge into drains/surface waters/groundwater.

Additional Notes:

None

SECTION 7: HANDLING AND STORAGE

Handling: Storage:

EXPOSURE CONTROL/PERSONAL PROTECTION

No further requirements. Store at room temperature (+15 to +25 °C recommended). Protect from light and moisture.

TWA (8hr)

TWA (8hr)

1 mg/m³

1 mg/m³

Spain

USA (OSHA)

SECTION 8: Value Type Source Туре Value Source **Sulfuric Acid** TWA (8hr) 1 mg/m³ Belgium TWA (8hr) 0.2 mg/m³ Canada (Ontario) TWA (8hr) 1 mg/m³ Canada (Quebec) TWA (8hr) 1 mg/m³ France TWA (8hr) 1 mg/m³ Greece TWA (8hr) 1 mg/m³ Hungary TWA (8hr) 0.5 mg/m³ Poland TWA (8hr) 0.2 mg/m³ Portugal

Engineering:

TWA (8hr)

TWA (8hr)

Safety shower and eye wash.

Personal Protective Equipment:

As appropriate to quantity handled.

0.5 mg/m³

0.2 mg/m³

Respiratory Protection: Protective Gloves: Eye Protection:

Required when vapors/aerosols are generated. Rubber or plastic Goggles or face mask

Industrial Hygiene:

Change contaminated clothing. Wash hands after working with substance.

Romania

USA (ACGIH)

SECTION 9: PHYSICAL/CHEMICAL PROPERTIES

Colorless liquid Odor: Odorless Density at 20°C: 1.012 g/cm3 Appearance: Melting Point: ND **Boiling Point:** ND Solubility: Soluble pH at 20°C: **Explosion Limit:** NA Flash Point: NA < 3

Thermal Decomp.: NA



HI 84431-50 Titrant Solution for Low Range

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 10: STABILITY AND REACTIVITY

Conditions to be Avoided:

Heating

Hazardous Polymerization:

Will not occur.

Further Information:

Not available

Hazardous Decomposition Products:

In the event of fire: See section 5.

Substances to be Avoided:

The generally known reaction partners of water.

SECTION 11: TOXICOLOGICAL INFORMATION

Product Toxicity

Quantitative data on the toxicity of this product is not available.

Potential Health Effects:

Further Data: Hazardous properties cannot be excluded, but are relatively unlikely because of the low concentration of the

dissolved substances and to the data of the components, when the product is handled appropriately.

Component Toxicity

Acute Toxicity:

Sulfuric Acid

LC50: Inhalation - Rat - 510 mg/m³

LD50: Oral - Rat - 2140 mg/kg

Chronic Toxicity:

Sulfuric Acid

NTP: Known to be carcinogenic to humans

Additional Data:

APPLICABLE TO PARTIAL COMPONENT:

The following applies to Sulfuric acid, as the pure substance:

Specific symptoms in animal studies:

Eye irritation test (rabbit): burns.

Skin irritation test (rabbit): burns.

Toxicological values are not available due to other dangerous properties of the substance.

Subacute to chronic toxicity

Applicable to partial component(s):

Bacterial mutagenicity: Ames test: negative.

No teratogenic effect in animal experiments.

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the toxicity of this product is not available.

APPLICABLE TO PARTIAL COMPONENT:

The following applies to Sulfuric acid, as the pure substance:

Biologic degradation:

Methods for the determination of biodegradability are not applicable to inorganic substances.

Behavior in environmental compartments:

Concentration in organisms is not to be expected.

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

The following applies to sulfuric acid: biological effects: harmful effect on aquatic organisms. Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants.

Daphnia toxicity: Daphnia magna EC50 : 29 mg/L/24 h (calculated on the pure substance).

Further Data: No ecological problems are to be expected when the product is handled and used with due care and attention.



HI 84431-50 Titrant Solution for Low Range Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

SECTION 14: TRANSPORTATION INFORMATION

Land: Sea: Air:

SECTION 15: REGULATORY INFORMATION

Complies with European Regulations (EC) No. 1907/2006 and No. 1272/2008.

Complies with European Council Directives 67/548/EEC and 1999/45/EC.

Complies with OSHA Regulation 29 CFR 1910.1200.

Complies with Canadian Regulation SOR/88-66

SECTION 16: OTHER INFORMATION

Text of phrases under Section 3 Revision Information

R35: Causes severe burns.

Revision Date: 2013-07-01
H314: Causes severe skin burns and eye damage.

Supersedes edition of: 2012-04-27

Reason for revision: Regulation (EC) No. 1272/2008

Compliance

Legend NA: Not Applicable

ND: Not Determined

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.