

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

Revision Date: 2013-01-28

Regulation (EC) No. 1272/2008 Compliance Reason for Revision:

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: HI 93712B-0 Aluminum Reagent

Application: Determination of Aluminum in Water Samples

Company Information (USA): Hanna Instruments, Inc.

584 Park East Dr, Woonsocket, Rhode Island, USA 02895

Technical Service Contact Information: 1-800-426-6287 (8:30AM - 5:00PM ET)

+1-401-766-4260 (8:30AM - 5:00PM ET)

USA Emergency Contact Information: 1-800-424-9300 (Chemtrec 24Hr. Emergency)

International Emergency Contact Information: +1-703-527-3887 (Chemtrec 24Hr. Emergency)

E-mail Address: tech@hannainst.com

SECTION 2: HAZARD IDENTIFICATION

Causes serious eye damage. Causes skin irritation. May cause respiratory irritation.

According to Regulation (EC) No. 1272/2008:

Classification: Eye Damage (Category 1) Skin Irritation (Category 2)

Specific Target Organ Toxicity, Single Exposure (Category 3)

Signal Word: Danger

Pictograms:



Hazard H315: Causes skin irritation.

Statements: H318: Causes serious eye damage.

H335: May cause respiratory irritation.

P280: Wear protective gloves/protective clothing/eye protection/face protection. Precaution

Statements: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing

According to Directives 67/548/EEC and 1999/45/EC:

Symbol: Xi: Irritant

R-phrases: 37/38-41: Irritating to respiratory system and skin. Risk of serious damage to eyes.

S-phrases: 26-36/39: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable

protective clothing and eye/face protection.

SECTION 3: COMPOSITION AND COMPONENT INFORMATION

Component:	EC No:	CAS No:	Hazard Class:	Phrases:	Concentration:
Succinic acid	203-740-4	110-15-6	Skin Irrit. 2 Eye Dam. 1 STOT SE 3 Xi	H315, H318, H335 R: 37/38-41	> 60% - < 80%
Succinic acid disodium salt	205-778-7	150-90-3	Skin Irrit. 2 Eye Irrit. 2 STOT SE 3	H315, H319, H335 R: 36/37/38	> 20% - < 30%

Xi



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 4: FIRST AID MEASURES

After Inhalation: Remove to fresh air.

After Skin Contact: Wash affected area with plenty of water. Remove contaminated clothing.

After Eye Contact: Rinse out immediately with plenty of water for at least 10 minutes and seek medical advice.

After Swallowing: Drink plenty of water, induce vomiting, obtain medical attention.

General Information: Remove contaminated, soaked clothing immediately and dispose of safely.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Foam, Water

Special Risks:

Combustible.

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Prevent fire residues and contaminated fire fighting water from entering surface water or groundwater.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid formation of dusts. Avoid substance contact.

Environmental Precautions:

Do not discharge into the drains/surface waters/groundwater.

Additional Notes:

Take up dry. Clean up affected area and dispose according to local regulation. Avoid generation of dusts.

<u>SECTION 7:</u> HANDLING AND STORAGE

Handling: Storage:

Avoid generation of dusts. Work under hood.

Store at room temperature (+15 to +25 °C recommended). Tightly closed in a dry and well-ventilated place. Accessible only for authorized persons.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering:

Maintain general industrial hygiene practice.

Personal Protective Equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

Respiratory Protection: Protective Gloves: Eye Protection:

Required when dusts are generated. Rubber or plastic Goggles or face mask

Industrial Hygiene:

Change contaminated clothing. Wash hands after working with substance.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 9: PHYSICAL/CHEMICAL PROPERTIES

Appearance: Reddish powder Odor: Odorless Density at 20°C: ND **Melting Point: Boiling Point:** NA Solubility: Soluble pH at 20°C: ~ 3.8 at 50 g/L in water **Explosion Limit:** ND Flash Point: NA

Thermal Decomp.: NA

SECTION 10: STABILITY AND REACTIVITY

Conditions to be Avoided: Hazardous Decomposition Products:

Strong Heating (decomposition). In the event of fire, see section 5.

Hazardous Polymerization:

Substances to be Avoided:**

Will not occur. Strong oxidizing agents

Further Information:

Not available

SECTION 11: TOXICOLOGICAL INFORMATION

Product Toxicity

Quantitative data on the toxicity of this product is not available.

Potential Health Effects:

Inhalation: Irritation symptoms in the respiratory tract.

Skin Contact: Irritations

Eye Contact: Irritations, risk of serious damage to eyes.

Ingestion: Irritations of mucous membranes in the mouth, esophagus and gastrointestinal tract.Further Data: The product should be handled with the usual care when dealing with chemicals.

Component Toxicity

Acute Toxicity: Chronic Toxicity:

Not Available

Not Available

Additional Data:

Succinic Acid: acute toxicity: LD50 (oral, rat): 2260 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the ecological effect of this product is not available.

APPLICABLE TO PARTIAL COMPONENT:

The following applies to Succinic Acid: biological effects: Bacteria: Ps. putida EC0 125 mg/L; Protozoa: Colpoda 125 mg/L.

Further Data: No ecological problems are to be expected when the product is handled and used with due care and attention.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local

authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

SECTION 14: TRANSPORTATION INFORMATION

Land: Sea: Air:



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 15: REGULATORY INFORMATION

Complies with European Regulations (EC) No. 1907/2006 and No. 1272/2008. Complies with European Council Directives 67/548/EEC and 1999/45/EC.

Complies with OSHA Regulation 29 CFR 1910.1200.

Complies with Canadian Regulation SOR/88-66

SECTION 16: OTHER INFORMATION

Text of phrases under Section 3

R36/37/38: Irritating to eyes, respiratory system and skin.

R41: Risk of serious damage to eyes.

H315: Causes skin irritation.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Revision Information

Revision Date: 2013-01-28 Supersedes edition of: 2013-01-08

Regulation (EC) No. 1272/2008 Reason for revision:

Compliance

Legend NA: Not Applicable

ND: Not Determined

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.