

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

Revision Date: 2013-02-18

Reason for Revision: Regulation (EC) No. 1272/2008 Compliance

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: Reagent for COD Test (25 vials)

Application: Mercury Free COD Reagent, for LR COD Analysis

Company Information (USA): Hanna Instruments, Inc.

584 Park East Dr, Woonsocket, Rhode Island, USA 02895

Technical Service Contact Information: 1-800-426-6287 (8:30AM - 5:00PM ET)

+1-401-766-4260 (8:30AM - 5:00PM ET)

USA Emergency Contact Information: 1-800-424-9300 (Chemtrec 24Hr. Emergency)

International Emergency Contact Information: +1-703-527-3887 (Chemtrec 24Hr. Emergency)

E-mail Address: tech@hannainst.com

SECTION 2: HAZARD IDENTIFICATION

Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.

According to Regulation (EC) No. 1272/2008:

Classification: Skin Corrosion (Category 1A)

Chronic Aquatic Toxicity (Category 3)

Signal Word: Danger

Pictograms:

T.

Hazard H314: Causes severe skin burns and eye damage. **Statements:** H412: Harmful to aquatic life with long lasting effects.

Precaution P273: Avoid release to the environment.

Statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P361: Remove/Take off immediately all contaminated clothing.

According to Directives 67/548/EEC and 1999/45/EC:

Symbol: C: Corrosive

R-phrases: 35: Causes severe burns.

S-phrases: 26-30-36/37/39-45: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Never add water to this product. Wear suitable protective clothing, gloves and eye/face protection. In case of accident

or if you feel unwell, seek medical advice immediately (show the label where possible).



SECTION 3:

HI 93754D-25 Reagent Tube for COD Test (25 vials)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

Component:	EC No:	CAS No:	Hazard Class:	Phrases:	Concentration:
Sulphuric acid	231-639-5	7664-93-9	Skin Corr. 1A C	H314 R: 35	> 50% - < 90%
Potassium dichromate	231-906-6	7778-50-9	Ox. Sol. 2 Acute Tox. 2	H272, H301, H312, H314, H317, H330.	< 0.1%

Acute Tox. 3

Acute Tox. 4 H360FD, H372, H400, Skin Corr. 1B H410 Skin Sens. 1 R: 8-21-25-26-34-42/43-45-46-48/23-50/53-60-61 Resp. Sens. 1 Muta. 1B Carc. 1B Repr. 1B STOT RE 1

H334, H340, H350,

Aquatic Acute 1 Aquatic Chronic 1

T+, N, O

SECTION 4: FIRST AID MEASURES

After Inhalation: Remove to fresh air. Summon doctor.

After Skin Contact: Wash affected area with plenty of water. Immediately remove contaminated clothing.

After Eye Contact: Rinse out immediately with plenty of water and seek medical advice.

After Swallowing: Drink plenty of water (if necessary several liters), avoid vomiting (risk of perforation!). Immediately seek medical advice.

Do not attempt to neutralize.

General Information: Remove contaminated, soaked clothing immediately and dispose of safely.

COMPOSITION AND COMPONENT INFORMATION

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.

Special Risks:

Non-combustible. Hydrogen may form upon contact with metals (danger of explosion!) Development of hazardous combustion gases or vapors possible in the event of fire. The following may develop in event of fire: Sulfur Oxides

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Product itself is non-combustible. Cool container with spray water from a safe distance. Contain escaping vapors with water. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Take up with liquid-absorbent material. Clean up affected area and dispose according to local regulation.

Environmental Precautions:

Do not discharge into the drains/surface waters/groundwater.

Additional Notes:

NΑ

SECTION 7: HANDLING AND STORAGE

Handling: Storage:

Avoid generation of vapors/aerosols. Do not inhale substance. Work under hood.

Tightly closed. In a well-ventilated place at +15 to +25°C. Protect from light. Accessible only for authorized persons.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

<u>SECTION 8:</u>	EXPOSURE CONTROL/PERSONAL PROTECTION
-------------------	--------------------------------------

Туре	Value	Source	Туре	Value	Source				
Sulfuric Acid									
TWA (8hr)	1 mg/m³	Belgium	TWA (8hr)	0.2 mg/m³	Canada (Ontario)				
TWA (8hr)	1 mg/m³	Canada (Quebec)	TWA (8hr)	1 mg/m³	France				
TWA (8hr)	1 mg/m³	Greece	TWA (8hr)	1 mg/m³	Hungary				
TWA (8hr)	0.5 mg/m³	Poland	TWA (8hr)	0.2 mg/m³	Portugal				
TWA (8hr)	0.5 mg/m³	Romania	TWA (8hr)	1 mg/m³	Spain				
TWA (8hr)	0.2 mg/m ³	USA (ACGIH)	TWA (8hr)	1 mg/m³	USA (OSHA)				

Engineering:

Safety shower and eye wash.

Personal Protective Equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

Respiratory Protection: Protective Gloves: Eye Protection:

Required when vapors/aerosols are generated. Work under hood.

Rubber or plastic

Goggles or face mask

Industrial Hygiene:

Immediately change contaminated clothing and immerse in water. Apply skin-protective barrier cream. Wash hands and face after working with substance. Work under hood. Do not inhale substance. Avoid generation of vapors/aerosols. Under no circumstances eat or drink at workplace.

ND

SECTION 9: PHYSICAL/CHEMICAL PROPERTIES

Appearance: Yellow-orange liquid Odor: Odorless Density at 20°C: ~ 1.8 g/cm³

with undissolved solid

Solubility: Soluble

(development of heat)

pH at 20°C: < 0.5 Explosion Limit: NA Flash Point: NA

Boiling Point:

Thermal Decomp.: > 338°C

SECTION 10: STABILITY AND REACTIVITY

NA

Conditions to be Avoided:

Strong Heating

Melting Point:

Hazardous Polymerization:

Will not occur.

Further Information:

Hygroscopic. Has a corrosive effect. Incompatible with metals.

Hazardous Decomposition Products:

In the event of fire: See section 5.

Substances to be Avoided:

Combustible substances, water, metals, metal alloys, alkali metals, alkali compounds, alkali hydroxides, alkali oxides, alkaline earth compounds, alkalis, ammonia, nitrates, sodium carbonate, lithium silicide, halogenhalogen compounds, salts of oxyhalogenic acids, bromates, chromates/perchromates, perchlorates, perchloric acid, permanganates, permanganic acid, organic nitro compounds, nonmetals, nonmetallic oxides, picrates, hydrogen peroxide, nitramide, mercury nitride, ammonium iron (III) sulfate dodecahydrate



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 11: TOXICOLOGICAL INFORMATION

Product Toxicity

Quantitative data on the toxicity of this product is not available.

Potential Health Effects:

Inhalation: After inhalation of aerosols: damage to the affected mucous membranes.

Skin Contact: Severe burns with formation of scabs.

Eye Contact: Burns, corneal lesion.

Ingestion: Severe pain (risk of perforation!), nausea, vomiting and diarrhea.

The product should be handled with the usual care when dealing with chemicals. Further Data:

Component Toxicity

Acute Toxicity:

Sulfuric Acid

LC50: Inhalation - Rat - 510 mg/m3

LD50: Oral - Rat - 2140 mg/kg

Chronic Toxicity:

Sulfuric Acid

NTP: Known to be carcinogenic to humans

Additional Data:

APPLICABLE TO MAIN COMPONENT:

The following applies to Sulfuric acid, as the pure substance:

Specific symptoms in animal studies:

Eye irritation test (rabbit): burns.

Skin irritation test (rabbit): burns.

Toxicological values are not available due to other dangerous properties of the substance.

Subacute to chronic toxicity

Applicable to partial component(s):

Bacterial mutagenicity: Ames test: negative.

No teratogenic effect in animal experiments.

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the toxicity of this product is not available.

APPLICABLE TO MAIN COMPONENT:

The following applies to Sulfuric acid, as the pure substance:

Biologic degradation:

Methods for the determination of biodegradability are not applicable to inorganic substances.

Behavior in environmental compartments:

Concentration in organisms is not to be expected.

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

The following applies to sulfuric acid: biological effects: harmful effect on aquatic organisms. Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants.

Daphnia toxicity: Daphnia magna EC 50: 29 mg/L/24 h (calculated on the pure substance

Further Data: DO NOT ALLOW TO ENTER WATERS, WASTE WATERS, OR SOIL!

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local

authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 14: TRANSPORTATION INFORMATION

Land (ADR/RID): Sea (IMDG): Air (ICAO/IATA):

UN No.: 1830 1830 1830

Proper Shipping Name: Sulphuric acid solution Sulphuric acid solution Sulphuric acid solution

 Class (Sub Risk):
 8
 8
 8

 Packing Group:
 II
 II
 II

SECTION 15: REGULATORY INFORMATION

Complies with European Regulations (EC) No. 1907/2006 and No. 1272/2008.

Complies with European Council Directives 67/548/EEC and 1999/45/EC.

Complies with OSHA Regulation 29 CFR 1910.1200.

Complies with Canadian Regulation SOR/88-66

SECTION 16: OTHER INFORMATION

Text of phrases under Section 3 Revision Information

H272: May intensify fire; oxidizer.
H301: Toxic if swallowed.
H312: Harmful in contact with skin.

Revision Date: 2013-02-18
Supersedes edition of: 2012-05-21

H314: Causes severe skin burns and eye damage. Reason for revision: Regulation (EC) No. 1272/2008

H317: May cause an allergic skin reaction.

H330: Fatal if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Legend NA: Not Applicable

H340: May cause genetic defects.

H360FD: May damage fertility. May damage the unborn child.

H372: Causes damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

R8: Contact with combustible material may cause fire.

R21: Harmful in contact with skin.

R25: Toxic if swallowed.

H350: May cause cancer.

R26: Very toxic by inhalation.

R34: Causes burns.

R35: Causes severe burns.

R42/43: May cause sensitization by inhalation and skin contact.

R45: May cause cancer.

R46: May cause heritable genetic damage.

R48/23: Toxic: danger of serious damage to health by prolonged exposure through

inhalation.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R60: May impair fertility.

R61: May cause harm to the unborn child.

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.