# TECHNICAL DATA SPECIFICATIONS TM INDUCTION HEATING



#### **EASYTHERM 30 HQ\* or Standard**


Mobile Induction Heater with Swingarm \*HQ Models are UL approved by TUV



## TECHNICAL DATA SPECIFICATIONS TM INDUCTION HEATING



**TECHNICAL SPECIFICATIONS: EASYTHERM 30** 



The Easytherm 30 is a

TUV/UL approved powerful

480 Volt microprocessor
controlled induction heater
with an ergonomic pivoting
yoke used to professionally
mount a range of parts
including bearings. Typically
used in maintenance shops
and production
environments.



Warranty: 36 months

Description	Metric	US/UK			
Power Rating	15.3kVA				
Voltage / Current	460VAC / 32A				
Optional Voltage	240/400/575				
Frequency	50-60 Hz				
Swing Arm	Yes				
Plug	No				
	l .				
Max Weight					
Bearing	300 Kg	661 lbs			
Other	300 Kg	661 lbs			
Min. Bore	30mm	1.18"			
Max. Outside	740mm	29.13"			
Max. Part Width	330 mm	12.99"			
Vertical Post Section	80x92mm	3.14"x3.62"			
Width	330mm	13.0"			
Height	295mm	11.6"			
Power Regulation	Yes 0-100% Automatic				
Temperature Control	Yes (0-240°C) 0-464°F				
Time Control	Yes (0-99 min.)				
De Magnetize	Yes <2 A/cm				
Alarm	Yes				
Temperature Hold	Yes				
Thermal Safety Switch	Yes				
Temp Probe	Yes – Mag Probe				
IR Remote Control	Included on HQ Models Only				
Digital Display – Time	Yes				
Digital Display – Temp	Yes (C/F)				
Digital Display – Error	Yes				
Communications Aux Input/Output	N/A Available				
Aux input/Output	Available				
Yokes Included	80x80x490	3.14"x19.29"			
Available Yokes	20x490mm (min				
7.12	30x490mm (min bore 45mm)				
	40x490mm (min bore 55mm)				
	50x490mm (min bore 70mm)				
	60X490mm (min bore 85mm)				
	70x490mm (min bore 100mm)				
	80X490mm (min bore 115mm)				
-					

### TECHNICAL DATA SPECIFICATIONS TM INDUCTION HEATING



_					
u	rı	ci	n	$\sim$	
		·ι		ч	

Easy therm 30HQ 12.8KVA with Trolley and 80mm Yoke \_\_\_\_\_

Standard voltages: 380-400-440-460-480 V Includes Mag Temp Sensor / Gloves / Manual

#### **Optional:**

Replacement Remote control HQ \$170.00

PIVOTING YOKE 20 X 20 X 490
PIVOTING YOKE 30 X 30 X 490
PIVOTING YOKE 40 X 40 X 490
PIVOTING YOKE 50 X 50 X 490
PIVOTING YOKE 60 X 60 X 490
PIVOTING YOKE 70 X 70 X 490
PIVOTING YOKE 80 X 80 X 490
Set adapter yokes 80 X 80 X 150
Set adapter yokes 80 X 80 X 200

Delivery: In Stock - Ship in 1-2 days ARO

Warranty: 36 month Terms: Net 30 Days FOB: Parker Colorado

Crate: 48x28x54 inches 550lbs

Rick Trichka

TM Induction Heating US Sales

720-266-4403 Office 720-838-5980 Mobile 303-646-4880 Fax