


Model: CLC23

- ___ (1) Seat assembly
- ___ (1) Back assembly
- ___ (2) Sideframes
- ___ (1) Top back rail
- ___ (1) Seat support
- ___ (1) Seat cushion
- ___ (1) Back cushion
- ___ (1) Hardware pack

Step 1

- Attach seat support to seat assembly using (2) 3" chair screws
- Attach back assembly to seat assembly using (2) 3" chair screws




Step 2

- Lay the seat assembly on its side.
- Attach sideframe using (3) 3" chair screws

This Item can be found on
www.OutdoorFurniturePlus.com


Call 877-595-8543 to order.



TOOLS NEEDED


Step 3

- Repeat Step 2 on other side.



Step 4

- Attach top back rail to sideframes using (2) 3" chair screws
- Insert seat and back cushions



Qty.	Description
12	A - .27 X 3 SOCKET WAFER A




This Item can be found on
www.OutdoorFurniturePlus.com


Call 877-595-8543 to order.

SOFA

CLC71




CMC71




LOVESEAT

CLC47



CMC47



Assembly instructions cover SOFA and LOVESEAT


Sort Boxes

Items are shipped in multiple boxes

Sections needed for SOFA

box - CLC23R
box - CLC23C
box - CLC23L


CLC71



Sections needed for LOVESEAT

box - CLC23R
box - CLC23L


CLC47



Sections needed for SOFA

box - CMC23R
box - CLC23C
box - CMC23L


CMC71



Sections needed for LOVESEAT


box - CMC23R
box - CMC23L

CMC47




SOFA ASSEMBLY

CLC71 shown




Layout Parts


Backs




Seat supports



Seats




Cushions





(3) Back

Back rails




Sideframes



(3) Seat

Center legs




Layout Hardware


note: you will need hardware pack from CLC23C box





A - .27 X 3 SOCKET WAFER A Qty 20




B - 1/4-20 x 1/2" BARREL NUT Qty 6



C - 1/4-20 X 1-1/2 WAFER SHCS Qty 2



D - 1/4-20 X 3-1/4 WAFER SHCS Qty 4




Tools Needed


4mm Hex Key - *included*

4mm Hex Bit for screw gun - *included*

Phillips head screwdriver



(3) Seat




Sofa Assembly

note: use coarse thread on 1,2,3,4,5


Step 1

Attach Seat support using (2) 3" chair screws



Step 2

Attach Back to Seat using (2) 3" chair screws




Step 3

Repeat until all seat/back assemblies are complete


Step 4

Attach Right side frame and Right back rail to Seat/back assembly using (4) 3" chair screws



Step 5

Attach Left side frame and Left back rail to Seat/back assembly using (4) 3" chair screws




Sofa Assembly

note: use fine thread bolts for 7, 8, 9


Step 6

Fit all sections together with Center legs




Step 7

Attach small center legs with (2) 3 1/4" chair bolts and (2) barrel nuts



Step 8

Attach Rails to Back legs using (2) 1 1/2" chair bolts and barrel nuts



Step 9


Attach Seats to Back legs using (2) 3 1/4" chair bolts and barrel nuts

Step 10


Put cushions on sofa
Your sofa is assembled!

LOVESEAT ASSEMBLY

CLC47 shown




Backs



Seat supports




Seats



Back rails



Sideframes




Center legs




Layout Hardware




A - .27 X 3 SOCKET WAFER A Qty 16



B - 1/4-20 x 1/2" BARREL NUT Qty 3




C - 1/4-20 X 1-1/2 WAFER SHCS Qty 1



D - 1/4-20 X 3-1/4 WAFER SHCS Qty 2

Tools Needed

4mm Hex Key - *included*
4mm Hex Bit for screw gun - *included*
Phillips head screwdriver




Sofa Assembly

note: use course thread on 1,2,3,4,5


Step 1

Attach Seat support using (2) 3" chair screws



Step 2

Attach Back to Seat using (2) 3" chair screws




Step 3

Repeat until all seat/back assemblies are complete


Step 4

Attach Right side frame and Right back rail to Seat/back assembly using (4) 3" chair screws



Step 5

Attach Left side frame and Left back rail to Seat/back assembly using (4) 3" chair screws





Loveseat Assembly

note: use fine thread bolts for 7, 8, 9


Step 6

Fit all sections together with Center legs




Step 7

Attach small Center leg with (1) 3 1/4" chair bolt and (1) barrel nut



Step 8

Attach Rails to Back leg using (1) 1 1/2" chair bolt and barrel nut



Step 9

Attach Seats to Back leg using (1) 3 1/4" chair bolt and barrel nut

Step 10

Put cushions on loveseat
Your loveseat is assembled!




Intelligent Design™

Model: CLT1818

- (2) Sideframes
- (2) Braces
- (1) Table top
- (1) Hardware pack


Step 1

Lay table top face down.
Attach sideframes to table top
using (4) 3" chair screws



Step 2


Attach braces to sideframes
using (4) 3" chair screws



TOOLS NEEDED


PHILLIPS HEAD SCREW DRIVER
4mm HEX KEY, ALLEN, T-HANDLE
(INCLUDED)

Qty.	Description
8	A - .27 X 3 SOCKET WAFER A



Model: CLT1836

- (2) Sideframes
- (2) Braces
- (1) Table top
- (1) Hardware pack




Qty.	Description
8	A - .27 X 3 SOCKET WAFER A



Step 1

Lay table top face down.
Attach sideframes to table top
using (4) 3" chair screws



Step 2

Attach braces to sideframes
using (4) 3" chair screws

