

ARDROX[®] AV 30 AEROSOL

Version 1.1

Revision Date 09/21/2015

Print Date 11/17/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ARDROX[®] AV 30 AEROSOL

Substance number : REL_10468027

Chemical usage : Cleaning Compound, Corrosion inhibitor

Manufacturer or supplier's details

Company : Chemetall US, Inc.

Address : 675 Central Avenue
New Providence NJ 07974

Telephone : (800) 526-4473

Telefax : (908) 464-4658

Emergency telephone no : CHEMTREC - 800-424-9300, 1-703-527-3887 (International)

SECTION 2. HAZARDS IDENTIFICATION
Emergency Overview

Appearance	Aerosol containing a compressed gas
Colour	light brown
Odour	solvent-like
Hazard Summary	Flammable/Combustible! Harmful by inhalation and if swallowed. Causes irritation of eyes and skin. drying, irritation and dermatitis. Contents under pressure.

GHS Classification

Flammable aerosols : Category 2

Gases under pressure : Compressed gas

Eye irritation : Category 2B

GHS Label element

Hazard pictograms :



Signal word : Warning

Hazard statements : Flammable aerosol.

ARDROX® AV 30 AEROSOL

Version 1.1

Revision Date 09/21/2015

Print Date 11/17/2015

Contains gas under pressure; may explode if heated.
 Causes eye irritation.

Precautionary statements : **Prevention:**
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 Do not spray on an open flame or other ignition source.
 Pressurized container: Do not pierce or burn, even after use.
 Wash skin thoroughly after handling.
Response:
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/ attention.
Storage:
 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Potential Health Effects

Inhalation : yes
 Skin : yes
 Ingestion : yes
 Aggravated Medical Condition : None known.

Carcinogenicity:

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH Confirmed animal carcinogen with unknown relevance to humans

Distillates (petroleum), hydrotreated light 64742-47-8

Cyclohexanone 108-94-1

OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture :

ARDROX[®] AV 30 AEROSOL

Version 1.1

Revision Date 09/21/2015

Print Date 11/17/2015

Hazardous components

Component	CAS-No.	Weight percent
1,1,1,2-Tetraflouroethane	811-97-2	30 - 50
Hydrotreated heavy naptha	64742-48-9	10 - 20
1-Methoxy-2-propanol	107-98-2	5 - 10
Distillates (petroleum), hydrotreated light	64742-47-8	1 - 5
Hydrotreated middle distillate	64742-46-7	1 - 5
Hydrodesulfurized heavy naphtha petroleum	64742-82-1	1 - 5

Unidentified ingredients are considered not hazardous under Federal Hazard Communication Standard (29CFR 1910.1200).

Specific chemical identity of composition has been withheld as a trade secret.

Exact percentage of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

- If inhaled : Remove to fresh air.
If symptoms persist, call a physician.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.
Get medical attention if irritation develops and persists
- In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.
Keep eye wide open while rinsing.
Seek medical advice.
- If swallowed : Rinse mouth.
Drink plenty of water.
Obtain medical attention.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Foam
Carbon dioxide (CO₂)
Dry chemical
- Further information : Closed containers may explode when exposed to heat.
Use water spray to cool unopened containers.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.

ARDROX[®] AV 30 AEROSOL

Version 1.1

Revision Date 09/21/2015

Print Date 11/17/2015

Methods and materials for containment and cleaning up : Ventilate area.
 Remove all heat and ignition sources.
 Clean up with inert absorbant material.
 Keep in suitable, closed containers for disposal.
 Flush with plenty of water.

Additional advice : Never return spills in original containers for re-use.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Use only with adequate ventilation.
 Avoid breathing vapors, mist or gas.

Conditions for safe storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination.
 Store indoors in a cool, well-ventilated place
 Keep away from open flames, hot surfaces and sources of ignition.
 Keep container out of sun and away from heat.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,1,1,2-Tetraflouroethane	811-97-2	TWA	1,000 ppm	US WEEL
Hydrotreated heavy naptha	64742-48-9	TWA	500 ppm 2,000.000000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600.000000 mg/m3	OSHA P0
1-Methoxy-2-propanol	107-98-2	TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
		ST	150 ppm 540.000000 mg/m3	NIOSH REL
		TWA	100 ppm 360.000000 mg/m3	NIOSH REL
		TWA	100 ppm 360.000000 mg/m3	OSHA P0
		STEL	150 ppm 540.000000 mg/m3	OSHA P0
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000.000000	OSHA Z-1

ARDROX® AV 30 AEROSOL

Version 1.1

Revision Date 09/21/2015

Print Date 11/17/2015

		TWA	mg/m3 200.000000	ACGIH
		TWA	mg/m3 (as total hydrocarbon vapor)	
		TWA	400 ppm 1,600.000000 mg/m3	OSHA P0
Hydrotreated middle distillate	64742-46-7	TWA	500 ppm 2,000.000000 mg/m3	OSHA Z-1
		TWA (Mist)	5.000000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600.000000 mg/m3	OSHA P0
		TWA (Mist)	5.000000 mg/m3	NIOSH REL
		ST (Mist)	10.000000 mg/m3	NIOSH REL
		TWA (Mist)	5.000000 mg/m3	OSHA P0
Hydrodesulfurized heavy naphtha petroleum	64742-82-1	TWA	500 ppm 2,000.000000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600.000000 mg/m3	OSHA P0
Cyclohexanone	108-94-1	TWA	20 ppm	ACGIH
		STEL	50 ppm	ACGIH
		TWA	25 ppm 100.000000 mg/m3	NIOSH REL
		TWA	50 ppm 200.000000 mg/m3	OSHA Z-1
		TWA	25 ppm 100.000000 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection : If occupational exposure limits are exceeded, proper control and protection measures should be implemented.

Hand protection

Remarks : Impervious gloves

Eye protection

: Safety glasses with side-shields

Skin and body protection

: Rubber or plastic apron

Hygiene measures

: Avoid contact with skin, eyes and clothing.
 Wear suitable gloves and eye/face protection.
 Wear suitable protective clothing.
 Wash hands before breaks and immediately after handling the product.
 Provide adequate ventilation.
 Do not inhale fumes.
 Keep away from food and drink.

ARDROX[®] AV 30 AEROSOL

Version 1.1

Revision Date 09/21/2015

Print Date 11/17/2015

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a compressed gas
Colour	: light brown
Odour	: solvent-like
pH	: no data available
Freezing point	: no data available
Boiling point/boiling range	: not applicable
Flash point	: no data available
Evaporation rate	: GLP: No information available.
Upper explosion limit	: 7.00 %(V)
Lower explosion limit	: 0.60 %(V)
Vapour pressure	: no data available
Relative density	: 0.89
Bulk density	: 7.41 lb/gal
Solubility(ies)	
Water solubility	: insoluble
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	: Heat, flames and sparks. Exposure to sunlight.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO ₂) Fluorocarbons Sulphur oxides

ARDROX[®] AV 30 AEROSOL

Version 1.1

Revision Date 09/21/2015

Print Date 11/17/2015

SECTION 11. TOXICOLOGICAL INFORMATION
Acute toxicity
Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000.000000 mg/kg
 Method: Calculation method

Components:
1,1,1,2-Tetraflouroethane:

Acute inhalation toxicity : LC50 rat: 1500 g/m3
 Exposure time: 4 h

Hydrotreated heavy naptha:

Acute oral toxicity : LD50 rat: > 10,000.000000 mg/kg

Acute dermal toxicity : LD50 rat: > 3,160.000000 mg/kg

1-Methoxy-2-propanol:

Acute oral toxicity : LD50 mouse: 11,700.000000 mg/kg

LD50 rat: 6,600.000000 mg/kg

LD50 rabbit: 5,700.000000 mg/kg

Acute inhalation toxicity : LC50 rat: 10000 ppm
 Exposure time: 5 h

Acute dermal toxicity : LD50 rabbit: 13,000.000000 mg/kg

Distillates (petroleum), hydrotreated light:

Acute oral toxicity : LD50 rat: 5,000.000000 mg/kg

Hydrotreated middle distillate:

Acute oral toxicity : LD50 rat: 7,400.000000 mg/kg

Acute dermal toxicity : LD50 rabbit: > 2,000.000000 mg/kg

Hydrodesulfurized heavy naphtha petroleum:

Acute oral toxicity : LD50 rat: > 5,000.000000 mg/kg

Acute dermal toxicity : LD50 rabbit: > 3,160.000000 mg/kg

Skin corrosion/irritation
Components:
Distillates (petroleum), hydrotreated light:

Result: Mild skin irritation

ARDROX[®] AV 30 AEROSOL

Version 1.1

Revision Date 09/21/2015

Print Date 11/17/2015

Serious eye damage/eye irritation**Components:****Hydrotreated heavy naptha:**

Result: Mild eye irritation

Distillates (petroleum), hydrotreated light:

Result: Mild eye irritation

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

no data available

Bioaccumulative potential**Product:**Partition coefficient: n-
octanol/water

: Remarks: no data available

Components:**1,1,1,2-Tetraflouroethane :**Partition coefficient: n-
octanol/water: log Pow: 1.06 (25 °C)
Method: OECD Test Guideline 107**Other adverse effects**

SECTION 13. DISPOSAL CONSIDERATIONS

ARDROX[®] AV 30 AEROSOL

Version 1.1

Revision Date 09/21/2015

Print Date 11/17/2015

Disposal methods

Waste from residues : Refer to all federal, provincial, state and local regulation prior to disposition of container and unused contents by reuse, recycle or disposal.

SECTION 14. TRANSPORT INFORMATION

International regulation

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

SECTION 15. REGULATORY INFORMATION

TSCA Status : All components of this material comply with US TSCA requirements.

OSHA Hazards : Compressed Gas, Mild skin irritant, Mild eye irritant
EPCRA - Emergency Planning and Community Right-to-Know Act

Cyclohexanone	108-94-1	5,000
---------------	----------	-------

SARA 311/312 Hazards : Sudden Release of Pressure Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

1-Methoxy-2-propanol	107-98-2
Hydrotreated middle distillate	64742-46-7

Pennsylvania Right To Know

1,1,1,2-Tetraflouroethane	811-97-2
Hydrotreated heavy naphtha	64742-48-9
Naphtha (petroleum) light steam-cracked	68131-99-7
1-Methoxy-2-propanol	107-98-2
Calcium dinonylnaphthalene sulfonate	57855-77-3
Distillates (petroleum), hydrotreated light	64742-47-8
Lanolin	8006-54-0

ARDROX[®] AV 30 AEROSOL

Version 1.1

Revision Date 09/21/2015


Print Date 11/17/2015

Hydrotreated middle distillate	64742-46-7
Hydrodesulfurized heavy naphtha petroleum	64742-82-1
Cyclohexanone	108-94-1

New Jersey Right To Know

1,1,1,2-Tetraflouroethane	811-97-2
Hydrotreated heavy naphtha	64742-48-9
Naphtha (petroleum) light steam-cracked	68131-99-7
1-Methoxy-2-propanol	107-98-2
Calcium dinonylnaphthalene sulfonate	57855-77-3

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	3
PHYSICAL HAZARD	1

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Safety Glasses, Gloves, Apron

SECTION 16. OTHER INFORMATION

Further Information

Version 1.1
Revision Date 09/21/2015

Chemetall US, Inc. warrants that the products described herein will conform with its published specifications.

The products supplied by Chemetall and information related to them are intended for use by buyers having necessary industrial skill and knowledge. Buyers should undertake sufficient verification and testing to determine the suitability of the Chemetall materials for their own particular purpose. Since buyer's conditions of use of products are beyond Chemetall's control, Chemetall does not warrant any recommendations and information for the use of such products. CHEMETALL DISCLAIMS ALL OTHER WARRANTIES INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR ANY PARTICULAR PURPOSE IN CONNECTION WITH THE USE OF ITS PRODUCTS.