

# SAFETY DATA SHEET

## 1. Identification

Identification Product name:

## LUBRIZOL® 1395

Additional identification Chemical name:

Zinc alkyldithiophosphate

#### Recommended use and restriction on use

Recommended use:	Component Sales
Restrictions on use:	None identified.

## Details of the supplier of the safety data sheet

Supplier

Company Name:	THE LUBRIZOL CORPORATION 29400 LAKELAND BOULEVARD
Address:	
	WICKLIFFE, OH 44092-2298
	US
Telephone:	(440)943-1200

## Emergency telephone number:

FOR TRANSPORT EMERGENCY CALL CHEMTREC (+1)703 527 3887, OR WITHIN USA 800 424 9300

## 2. Hazard(s) identification

## **Hazard Classification**

#### **Health Hazards**

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Category Irritation	
nknown toxicity	
Acute toxicity, inhalation, vapor	88.4 %

## Ur

Acute toxicity, inhalation, vapor	88.4 %
Acute toxicity, inhalation, dust	89.0 %
or mist	

#### Label Elements:

## Hazard Symbol:



Signal Word:

Danger

Hazard Statement:

Causes skin irritation. Causes serious eye damage.

SDS\_US - LUBRIZOL® 1395



## **Precautionary Statements:**

Prevention:	Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Take off contaminated clothing.
Other hazards which do not result in GHS classification:	None identified.

## 3. Composition/information on ingredients

#### General information:

Chemical name	CAS number	Percent by Weight
Zinc alkyldithiophosphate	Confidential	80 - 90%
Mineral oil	Not determined.	10 - 20%

The mineral oil contained in this material may be described by one or more of the following CAS Nos.: 64742-54-7, 64742-65-0, 64742-55-8, and 64742-56-9.

Trade secret information:	A specific chemical identity and/or percentage of composition has been
	withheld as a trade secret.

#### 4. First-aid measures

Ingestion:	Rinse mouth. Call a POISON CENTER/doctor if you feel unwell.
Inhalation:	Remove exposed person to fresh air if adverse effects are observed.
Skin Contact:	Take off contaminated clothing and wash before re-use. Wash skin thoroughly with soap and water. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

#### Most important symptoms/effects, acute and delayed

Symptoms: See section 11.

## Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically.



5. Fire-fighting measures	
0 0	
General Fire Hazards:	No unusual fire or explosion hazards noted.
Suitable (and unsuitable) exting	uishing media
Suitable extinguishing media:	CO2, Dry chemical or Foam. Water can be used to cool and protect exposed material.
Unsuitable extinguishing media:	Not determined.
Specific hazards arising from the chemical:	See section 10 for additional information.
Special protective equipment an	d precautions for firefighters
Special fire fighting procedures:	No data available.
Special protective equipment for fire-fighters:	Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots.
6. Accidental release measures	S
Personal precautions, protective equipment and emergency procedures:	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. See Section 8 of the SDS for Personal Protective Equipment. Ventilate area if spilled in confined space or other poorly ventilated areas.
Methods and material for containment and cleaning up:	Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas.
Environmental Precautions:	Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	
Precautions for safe handling:	Use of steam for heating or tracing is not recommended. Additional handling information may be found in the American Chemistry Council document "Safe Handling Guidelines for ZDDP Components and Blends" (www.americanchemistry.com). Do not get in eyes. Avoid contact with skin. Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Launder contaminated clothing before reuse. Avoid environmental contamination. Keep container closed when not in use and use with adequate ventilation.
Maximum Handling Temperature:	70 °C 158 °F



Conditions for safe storage, including any incompatibilities:	Avoid excessive heat. Do not store near flammable agents. Store away from incompatible materials. See section 10 for incompatible materials. Odorous and toxic fumes may form from the decomposition of this product if stored at temperatures in excess of 113 deg F (45 deg C) for extended periods of time or if heat sources in excess of 250 deg F (121 deg C) are used.
Maximum Storage Temperature:	45 °C 113 °F

## 8. Exposure controls/personal protection

#### **Control Parameters:**

#### **Occupational Exposure Limits**

Chemical name	Туре	Exposure Limit Values	Source
Mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (02 2012)
Mineral oil - Mist.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Mineral oil - Mist.	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Mineral oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

#### Appropriate engineering controls: Material should be handled in enclosed vessels and equipment, in which case general (mechanical) room ventilation should be sufficient. Local exhaust ventilation should be used at points where dust, mist, vapors or gases can escape into the room air.

#### Individual protection measures, such as personal protective equipment

General information:	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Eye/face protection:	Wear tight-fitting goggles or face shield.

## Skin Protection

Hand Protection: Use nitrile or neoprene gloves. Use good industrial hygiene practices. In case of skin contact, wash hands and arms with soap and water. Gloves should always be inspected before each use and discarded if they show tears, pinholes, or signs of wear.



Other:	Wear apron or protective clothing in case of contact. Do not wear rings, watches or similar apparel that could entrap the material.
Respiratory Protection:	A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator. Under normal use conditions, respirator is not usually required. Use appropriate respiratory protection if exposure to dust particles, mist or vapors is likely. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites. Use respirator with an organic vapor cartridge if exposure limit is exceeded.
Hygiene measures:	Observe good industrial hygiene practices. Do not get in eyes. Avoid contact with skin. Wash contaminated clothing before reuse. Wash hands before breaks and immediately after handling the product.

## 9. Physical and chemical properties

Appearance		
Physical state:	liquid	
Form:	liquid	
Color:	Amber to light green	
Odor:	characteristic of sulfur-containing compounds	
Odor threshold:	No data available.	
pH:	No data available.	
Freezing point:	No data available.	
Boiling Point:	No data available.	
Flash Point:	> 214 °F (101 °C) (Pensky-Martens Closed Cup)	
Evaporation rate:	No data available.	
Flammability (solid, gas):	No data available.	
Upper/lower limit on flammability or explosi	ve limits	
Flammability limit - upper (%):	No data available.	
Flammability limit - lower (%):	No data available.	
Explosive limit - upper (%):	No data available.	
Explosive limit - lower (%):	No data available.	
Vapor pressure:	0.0025 bar (25 °C 77 °F)	
Vapor density:	No data available.	
Relative density:	1.17 60.1 °F (15.6 °C)	
Solubility(ies)		
Solubility in water:	No data available.	
Solubility (other):	No data available.	
Partition coefficient (n-octanol/water):	0.69 (Measured)	
Auto-ignition temperature:	464 °F (240 °C)	
Decomposition temperature:	421 °F (216 °C)	
Viscosity:	12.5 mm2/s ( 212 °F (100 °C) ) 131.6 mm2/s (40 °C (104	°F))
Other information		
VOC:	< 0.6 %	
SDS_US - LUBRIZOL® 1395		5/13



Pour Point Temperature:	-6 °F (-21 °C)
10. Stability and reactivity	
Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Can decompose at elevated temperatures.
Conditions to avoid:	Excessive heat. Steam.
Incompatible Materials:	Strong oxidizing agents. Contact with acids.
Hazardous Decomposition Products:	If heated to decomposition, the following substances may be formed: Hydrogen sulfide Alkyl mercaptans and sulfides may also be released. Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, sulfur oxides, mercaptans, sulfides, including hydrogen sulfide and other products of incomplete combustion. Thermal decompositon may generate phosphorus oxides and other phosphorus containing compounds. Thermal decompositon may generate zinc oxides and other zinc containing compounds.

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation:	No data available.		
Ingestion:	May be harmful if swallowed.		
Skin Contact:	Causes skin irritation.		
Eye contact:	Causes serious eye damage.		
Information on toxicolog	gical effects		
Acute toxicity			
<b>Oral</b> Product:	LD 50 (Rat): 3,600 mg/kg (Literature)		
<b>Dermal</b> Product:	LD 50 (Rabbit): > 20,000 mg/kg (Literature)		
Inhalation Product:	Not classified for acute toxicity based on available data.		
Skin Corrosion/Irr Product:	itation: Classification: Irritating. (Read across); Rabbit. Remarks: Causes skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.		



Serious Eye Damage/Eye Irritation Product:	: Classification: Risk of serious damage to eyes. (Literature); Rabbit. Remarks: Causes serious eye damage.
Respiratory sensitization:	No data available
Skin sensitization: Product:	Classification: Not a skin sensitizer. (Read across) Not a skin sensitizer.
Zinc alkyldithiophosphate	Classification: Not a skin sensitizer. (Read across) Not a skin sensitizer.
Mineral oil	Classification: Not a skin sensitizer. (Read across)
Specific Target Organ Toxicity - Si Mineral oil	ngle Exposure: If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.
Aspiration Hazard: Mineral oil	Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death.
Chronic Effects Carcinogenicity: Product:	This product contains mineral oils which are severely refined and not considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
IARC Monographs on the Evaluation No carcinogenic components identified	on of Carcinogenic Risks to Humans: ed
US. National Toxicology Program	
US. OSHA Specifically Regulated S No carcinogenic components identified	Substances (29 CFR 1910.1001-1050): ed
Germ Cell Mutagenicity:	No data available
Reproductive toxicity:	No data available
Specific Target Organ Toxicity - R	epeated Exposure: No data available
SDS_US - LUBRIZOL® 1395	7/13



## 12. Ecological information

Ecotoxicity	
Fish Product:	LC 50 (Rainbow Trout, 4 d): 4.5 mg/l LC 50 (Not reported, 4 d): > 46 mg/l NOEC (Rainbow Trout, 4 d): 1.8 mg/l
Zinc alkyldithiophosphate	LC 50 (Rainbow Trout, 4 d): 4.5 mg/l LC 50 (Not reported, 4 d): 46 mg/l NOEC (Rainbow Trout, 4 d): 1.8 mg/l
Mineral oil	LC 50 (Fathead Minnow, 4 d): > 100 mg/l
Aquatic Invertebrates Product:	EC 50 (Water flea (Daphnia magna), 2 d): 23 mg/l NOEC (Water flea (Daphnia magna), 2 d): 10 mg/l EC 50 (Water flea (Daphnia magna), 21 d): > 0.8 mg/l NOEC (Water flea (Daphnia magna), 21 d): > 0.4 mg/l
Zinc alkyldithiophosphate	EC 50 (Water flea (Daphnia magna), 2 d): 23 mg/l NOEC (Water flea (Daphnia magna), 2 d): 10 mg/l EC 50 (Water flea (Daphnia magna), 21 d): 0.8 mg/l NOEC (Water flea (Daphnia magna), 21 d): 0.4 mg/l
Mineral oil	EC 50 (Water flea (Daphnia magna), 2 d): > 10,000 mg/l EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): > 10 mg/l
Toxicity to Aquatic Plants Product:	EC 50 (Green algae (Scenedesmus quadricauda), 3 d): 24 mg/l NOEC (Green algae (Scenedesmus quadricauda), 3 d): 10 mg/l
Zinc alkyldithiophosphate	EC 50 (Green algae (Scenedesmus quadricauda), 3 d): 24 mg/l NOEC (Green algae (Scenedesmus quadricauda), 3 d): 1.8 mg/l
Mineral oil	EC 50 (Green algae (Scenedesmus quadricauda), 3 Days): > 100 mg/l
Toxicity to soil dwelling organisms	s No data available
Sediment Toxicity	No data available
Toxicity to Terrestrial Plants	No data available
Toxicity to Above-Ground Organis	<b>ms</b> No data available
Toxicity to microorganisms Product:	EC 50 (Sludge, 0.1 d): > 10,000 mg/l
	0/10



Zinc alkyldithiophosphate	EC 50 (Sludge, 0.1 d): > 10,000 mg/l
Persistence and Degradability	
Biodegradation	
Product:	OECD TG 301 B, 1.5 %, 28 d, Not readily degradable.
Zinc alkyldithiophosphate	OECD TG 301 B, 1.5 %, 28 d, Not readily degradable.
Mineral oil	OECD TG 301 B, 31 %, 28 d, Not readily degradable.
<b>Bioaccumulative Potential</b>	
Bioconcentration Factor (	•
	No data available
Partition Coefficient n-oct	anol / water (log Kow)
Product:	Log Kow: 0.69 (Measured)
Zinc alkyldithiophosphate	Log Kow: 0.69 (Measured)
Mobility:	
	No data available
Other Adverse Effects:	No data available.
13. Disposal considerations	
Disposal instructions	Treatment storage transportation and dispessed must be in apportance
Disposal instructions:	Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.
	Dispose of packaging or containers in accordance with local, regional, national and international regulations. Empty container contains product
	residue which may exhibit hazards of product.
	residue which may exhibit hazards of product.
Contaminated Packaging:	Container packaging may exhibit hazards.
14. Transport information	
DOT	
UN Number:	UN 3082
UN Proper Shipping Name:	Environmentally hazardous substance, liquid, n.o.s.(Zinc
on roper Shipping Name.	alkyldithiophosphate)
Transport Hazard Class(es)	
Class:	9
Label(s):	9
Packing Group:	
Marine Pollutant:	Yes
Special precautions for user:	None established



#### IMDG

UN Number: UN Proper Shipping Name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Zinc alkyldithiophosphate)
Transport Hazard Class(es) Class: Label(s): EmS No.:	9 9 F-A, S-F
Packing Group: Marine Pollutant: Limited quantity	III Yes 5.00L
Excepted quantity	E1
Special precautions for user:	None established
IATA UN Number: Proper Shipping Name: Transport Hazard Class(es): Class: Label(s): Marine Pollutant: Packing Group: Limited quantity	UN 3082 Environmentally hazardous substance, liquid, n.o.s.(Zinc alkyldithiophosphate) 9 9MI Yes III 30.00KG
Excepted quantity	E1
Environmental Hazards Special precautions for user: Other information	Marine Pollutant None established
Passenger and cargo aircraft: Cargo aircraft only:	Allowed. Allowed.

#### Transport in bulk according to Annex II of MARPOL and the IBC Code None known.

The DOT shipping information in this section is based on a bulk container. Please review the accompanying shipping papers for the correct shipping descriptions based the size of the package. Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. During transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

## 15. Regulatory information

## **US Federal Regulations**

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.



### CERCLA Hazardous Substance List (40 CFR 302.4)

Chemical Identity	CAS number	Reportable quantity	Calculated <sup>1</sup>
Isobutyl alcohol	78-83-1	5000 lbs	> 50000 lbs > 22680 kgs

<sup>1</sup>This is the amount product/material required to be released before CERCLA reporting is required.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 311 Classifications

Skin Corrosion or Irritation Serious eye damage or eye irritation

#### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

#### SARA 304 Emergency Release Notification

Chemical Identity	CAS number	Percent by Weight	Reportable quantity
Zinc alkyldithiophosphate	Confidential	88.4 %	*See regulation for further details
Isobutyl alcohol	78-83-1	0.5 %	5000 lbs

\*These specific chemicals are not listed please check the generic entries on the SARA 304 listings for applicability.

#### SARA 313 (TRI Reporting)

		Percent by	Reporting threshold for	Reporting threshold for manufacturing
Chemical Identity	CAS number	Weight	other uses	and processing
Zinc alkyldithiophosphate	Confidential	88.4 %	10000 lbs	25000 lbs

## **US State Regulations**

### **US. California Proposition 65**

No ingredient regulated by CA Prop 65 present.

### **Inventory Status**

Australia (AICS)

All components are in compliance with chemical notification requirements in Australia.

#### Canada (DSL/NDSL)

All substances contained in this product are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List (DSL) or are exempt.

#### China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

### European Union (REACh)

To obtain information on the REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

SDS\_US - LUBRIZOL® 1395



Japan (ENCS)

All components are in compliance with the Chemical Substances Control Law of Japan.

Korea (ECL)

All components are in compliance in Korea.

New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

Taiwan (TCSCA) All components of this product are listed on the Taiwan inventory.


United States (TSCA)

All substances contained in this product are listed on the TSCA inventory or are exempt.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.


## 16.Other information, including date of preparation or last revision

## **HMIS Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

## **NFPA Hazard ID**



Flammability Health Reactivity Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date:	04/02/2018
Version #:	3.3
Source of information:	Internal company data and other publically available resources.
Further Information:	Contact supplier (see Section 1)
SDS_US - LUBRIZOL® 1395	



**Disclaimer:** 

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.