



SECTION I: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: **Aeriol Thixo #2 Aviation Grease**

Product Use: Lubricant grease.

Restrictions on Use: Refer to Grease Compatibility Chart

Manufacturer: WYS Manufacturing Ltd.
Bay 7 & 8, 4216 – 54th Ave. SE
Calgary, Alberta T2C 2E3
Canada

Phone 1-403-252-2239

Supplier: Maryn International Ltd.
Bay 5 & 6, 4216 – 54th Ave. SE
Calgary, Alberta T2C 2E3
Canada

Phone 1-403-252-2239

Emergency Phone Number: CANUTEC – 24 hr Emergency No. 1-613-996-6666
Business Hour Number 1-403-252-2239
(Monday through Friday 8:00am to 4:30pm MST)

SDS Prepared By: Maryn Research Phone 1-403-252-2239

Date Revised: 26 July, 2017



SECTION II: HAZARDS IDENTIFICATION

GHS Classification:

Causes no serious eye irritation: Not a hazardous substance

May not cause an allergic skin reaction: Not a hazardous substance

GHS Label Element:

Signal word : **Not a hazardous substance**

Hazard symbol: **Non**

Hazard statements: Non

Other hazards: None

Precautionary statements:

Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear eye protection/ face protection.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.



P363 Wash contaminated clothing before reuse.

Disposal:

P501 Dispose of contents/container to an approved waste disposal plant.

Storage:

P411+235: Store at temperatures not exceeding 190°C/374 °F. Keep cool.

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential Carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION III: COMPOSITION/ INFORMATION ON INGREDIENTS

Hazardous Ingredients	Concentration %	C.A.S. #
Distillates (petroleum), solvent-refined heavy paraffinic	>= 50 - < 70 %	64741-88-4
Residual oils (petroleum), solvent-refined	>= 10 - < 20 %	64742-01-4
Calcium carbonate (dust)	>= 5 - < 10 %	471-34-1
Benzenesulfonic acid, C10-16 – alkyl derivatives, calcium salts	>= 1 - < 5 %	68584-23-6
Calcium dodecylbenzenesulphonate	>= 1 - < 5 %	26264-06-2
Sulfonic acids, petroleum, calcium salts	>= 1 - < 5 %	61789-86-4
Benzenesulfonic acid, mono C16-24 – alkyl derivatives, calcium salts	>= 1 - < 5 %	70024-69-0



SECTION IV: FIRST AID MEASURES

Ingestion:	Obtain medical attention. Never give anything by mouth to an unconscious person. Not expected to be toxic by ingestion.
Skin Contact:	Wash off with warm water and soap. If hot material contacts skin, immediately cool before attempting removal. If skin irritation persists, call a physician. If high pressure forces the product under the skin get immediate medical attention!
Inhalation:	Remove to fresh air. Aspiration may cause pulmonary oedema and pneumonitis. If breathing is difficult, oxygen may be given by qualified personnel. If symptoms persist, consult physician.
Eye Contact:	Flush with clean tepid water for 15 minutes keeping eyelids open. Get medical attention immediately.
Most important symptoms and effects, both acute and delayed:	Irritating to respiratory tract and eyes. Breathing mist caused by high temperature or swallowing large quantities may be irritating to skin, respiratory system, mucous membranes and eyes.

SECTION V: FIRE-FIGHTING MEASURES

Suitable extinguishing media:	On small fires: carbon dioxide (CO ₂), dry chemicals, dry sand - vermiculite. On large fires: treat as an oil fire, water fog, foam,
Unsuitable extinguishing media:	Avoid spreading with water flooding.
Hazardous combustion products:	Oxides of carbon, sulphur, calcium.
Special extinguishing methods:	Keep containers cool with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equipment and precautions for firefighters:	When fighting fire, treat as petroleum product, wear full protective clothing, including NIOSH approved self-contained breathing apparatus.
Fire and explosion hazards:	



Do not cut, weld, or pressurize empty container. Container may explode in heat of fire.

SECTION VI: ACCIDENTAL RELEASE MEASURES

- Personal protection:** Wear suitable protective equipment. Eliminate sources and or potential sources of ignition.
- Environmental precautions:** Product has very low solubility in water. Do not flush to sewers, streams or other bodies of water. For disposal, see Section XIII.
- Methods for cleaning up:** Absorb on inert material such as sand, earth, vermiculite. Sweep up and collect in a suitable container for disposal. Observe government regulations
- Large spills:** Stop leak if without risk. Dike to contain spill. Pump excess material into suitable container (metal drums, metal tanks, or such).

SECTION VII: HANDLING AND STORAGE

- Handling:** Keep drums tightly closed to prevent contamination. Avoid contact with eyes, skin and clothing. Wear recommended personal protection equipment.
- Storage:** Store in a cool well-ventilated area. Normal precautions common to goo safety practice should be followed in storage.



SECTION VIII: EXPOSURE CONTROLS/PERSONAL PROTECTION

- Exposure Limits:** If used in a way that generates a mist, observe the limits for mineral oil mist.
- Engineering controls:** For normal application, special ventilation is not necessary. If the user’s operation generates mist, use local ventilation to keep exposure to airborne contaminants below exposure limits.
- Respiratory protection:** None required under normal conditions of use. Use approved respirator with dual organic vapour/mist and particulate cartridge if vapour concentration exceeds permissible exposure limit.
- Eye protection:** Use safety goggles or face shield.
- Skin protection:** Use rubber or plastic apron. Wear protective clothing to minimize skin contact. Use heat protective equipment when handling molten material.
- Hand protection:** Use oil resistant gloves.

USA

Component	CAS #	Form of Exposure	Permissible Concentration	Basis
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	TWA (mist)	5 mg/m ³	OSHA Z-1
		TWA (inhalable fraction)	5 mg/m ³	ACGIH
		TWA	5 mg/m ³	OSHA P0
		TWA (mist)	5 mg/m ³	NIOSH REL
Residual oils (petroleum), solvent-refined	64742-01-4	ST (mist)	10 mg/m ³	NIOSH REL
		TWA (mist)	5 mg/m ³	OSHA Z-1
		TWA (inhalable fraction)	5 mg/m ³	ACGIH
		TWA	5 mg/m ³	OSHA P0
		TWA (mist)	5 mg/m ³	NIOSH REL
		ST (mist)	10 mg/m ³	NIOSH REL
		TWA (respirable)	5 mg/m ³	NIOSH REL
Calcium carbonate (dust)	471-34-1	TWA (total)	10 mg/m ³	NIOSH REL



Components with workplace control parameters :

Canada

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), solventrefined heavy paraffinic	64741-88-4	TWA (Mist)	0.2 mg/m ³	CA BC OEL
		TWA	0.2 mg/m ³	CA BC OEL
		TWA (Mist)	1 mg/m ³	CA BC OEL
		TWA (Mist)	5 mg/m ³	CA AB OEL
		STEL (Mist)	10 mg/m ³	CA AB OEL
		TWAEV (Mist)	5 mg/m ³	CA QC OEL
		STEV (Mist)	10 mg/m ³	CA QC OEL
		TWA (Mist)	1 mg/m ³	CA BC OEL
Residual oils (petroleum), solvent-refined	64742-01-4	TWA (Mist)	0.2 mg/m ³	CA BC OEL
		TWA (Mist)	1 mg/m ³	CA BC OEL
		TWA (Mist)	5 mg/m ³	CA AB OEL
		STEL (Mist)	10 mg/m ³	CA AB OEL
		TWAEV (Mist)	5 mg/m ³	CA QC OEL
		STEV (Mist)	10 mg/m ³	CA QC OEL
		TWA (Mist)	1 mg/m ³	CA BC OEL
		calcium carbonate	471-34-1	TWAEV (total dust)
		TWA	10 mg/m ³ (Calcium)	CA AB OEL
		TWA	10 mg/m ³ (Calcium carbonate)	CA AB OEL
Distillates (petroleum), solventrefined heavy paraffinic	64741-88-4	TWA (Mist)	0.2 mg/m ³	CA BC OEL
		TWA	0.2 mg/m ³	CA BC OEL
		TWA (Mist)	1 mg/m ³	CA BC OEL
		TWA (Mist)	5 mg/m ³	CA AB OEL
		STEL (Mist)	10 mg/m ³	CA AB OEL
		TWAEV (Mist)	5 mg/m ³	CA QC OEL
		STEV (Mist)	10 mg/m ³	CA QC OEL
		TWA (Mist)	1 mg/m ³	CA BC OEL
Residual oils (petroleum), solvent-refined	64742-01-4	TWA (Mist)	0.2 mg/m ³	CA BC OEL
		TWA (Mist)	1 mg/m ³	CA BC OEL
		TWA (Mist)	5 mg/m ³	CA AB OEL



		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist)	5 mg/m3	CA QC OEL
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
calcium carbonate	471-34-1	TWAEV (total dust)	10 mg/m3	CA QC OEL
		TWA (Calcium)	10 mg/m3	CA AB OEL
		TWA (Calcium carbonate)	10 mg/m3	CA AB OEL

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Semi-solid
Appearance:	Brown
Odour:	Mild petroleum odour
Odour Threshold:	Not established at 20°C (68°F)
pH:	Not applicable
Drop Point:	300°C (572°F)
Boiling Point:	Not available
Flash Point:	215°C (420°F)
Evaporation Rate:	Not available
Upper Flammability Limit:	Not determined
Lower Flammability Limit:	Not determined
Density:	1.05g/cm ³ at 25°C (77°F)
Specific Gravity:	0.95 – 1.05
Vapour Pressure:	<0.0008 hPa (0.00 mmHg) at 20°C (68°F)
Vapour Density:	Not available
Solubility in Water:	Negligible
Autoignition Temperature:	Not available
Partitioning Coefficient:	Not available

SECTION X: STABILITY AND REACTIVITY

Chemical Stability:	Stable.
Incompatibility:	Avoid contact with oxidizing agents.
Reactivity:	No reactivity.



Polymerization: Will not occur.

Decomposition Products: Oxides of carbon, nitrogen, sulfur, calcium

SECTION XI: TOXICOLOGICAL INFORMATION

Effects of Acute and Chronic Exposure:

Skin Contact: May cause irritation.

Skin Absorption: If high pressure forces the product under the skin get immediate medical attention.

Acute dermal toxicity:

Calcium dodecylbenzenesulphonate (component): LD50: > 4,199 mg/kg
Species: rabbit
Remarks: information given is based on data obtained from similar substances.

Sulfonic acids, petroleum, calcium salts (component): LD50: > 4,000 mg/kg
Species: rabbit
Method: OECD Test Guideline 402

Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts (component): LD50: > 2,000 mg/kg
Species: rat
Method: OECD Test Guideline 402

Skin irritation:

Calcium carbonate (dust) (component): Species: rabbit
Result: no skin irritation

Calcium dodecylbenzenesulphonate (component): Species: rabbit
Result: skin irritation
Exposure time: 4h
Remarks: information given is based on data obtained from similar substances

Eye Contact: May cause irritation.

Eye irritation:



Calcium carbonate (dust)
(component):

Species: rabbit
Result: no eye irritation

Calcium
dodecylbenzenesulphonate
(component):

Species: rabbit
Result: rise of serious damage to eyes.
Remarks: information given is based on data obtained from similar substances.

Inhalation:

No information available. Mist or spray may cause delayed onset of pulmonary oedema.

Ingestion:

No significant hazard. No evidence of harmful effect from available information. May cause diarrhea.

Acute oral toxicity (Product):

Acute toxicity estimate: > 5,000 mg/kg

Irritancy:

Irritation to eyes and respiratory tract. Frequent and prolonged contact may irritate skin. If misted, inhalation of mist may cause irritation.

Sensitization:

Repeated or prolonged contact may cause sensitization in some individuals.

Benzenesulfonic acid, C10-16-alkyl derivatives, calcium salts
(component):

Result: the product is a skin sensitizer, sub-category 1B.

Sulfonic acids, petroleum,
calcium salts (component):

Result: the product is a skin sensitizer, sub-category 1B.

Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts
(component):

Result: the product is a skin sensitizer, sub-category 1B.

Carcinogenicity:

This product contains material that has not been listed as a carcinogen or potential carcinogen by the National Toxicology Program, International Agency for Research on Cancer, or the Occupational Safety and Health Administration.

Reproductive Toxicity:

No adverse effects are anticipated.

Calcium carbonate (dust)
(component):

Species: rat
Application route: oral

**CMR Effects:**Calcium carbonate (dust)
(component):Teratogenicity: No effect on or via lactation.
Reproductive toxicity: no toxicity to reproduction.**Further Information:**

No evidence of harmful effects from available information.

SECTION XII: ECOLOGICAL INFORMATION**Toxicity to Fish:**Calcium
dodecylbenzenesulphonate
(component):LC50: 22 mg/L
Exposure time: 96h
Species: Pimephales promelas (fathead minnow)
Static test analytical monitoring: no
Method: OECD Test Guideline 203
Remarks: information given is based on data obtained from similar substances.Sulfonic acids, petroleum,
calcium salts (component):LC50 > 10,000 mg/L
Exposure time: 96h
Species: Cyprinodon variegatus (sheepshead minnow)
Static test method: OECD Test Guideline 203**Toxicity to Daphnia and Other Aquatic Invertebrates:**Calcium
dodecylbenzenesulphonate
(component):EC50: 2.5 mg/L
Exposure time: 48h
Species: Daphnia magna (water flea)
Static test method: OECD Test Guideline 202
Remarks: information given is based on data obtained from similar substances.Sulfonic acids, petroleum,
calcium salts (component):EC50: > 100mg/L
Exposure time: 48h
Species: Daphnia magna (water flea)
Static test method: OECD Test Guideline 202**Toxicity to Algae:**Sulfonic acids, petroleum,
calcium salts (component):EbC50: > 100mg/L
Exposure time: 72h



Species: green algae (*Scenedesmus subspicatus*)
Static test analytical monitoring: no
Method OECD Test Guideline 201

ErC50: > 100 mg/L
Species: green algae (*Scenedesmus subspicatus*)
Static test analytical monitoring: no
Method: OECD Test Guideline 201

Bioaccumulation:

Calcium
dodecylbenzenesulphonate
(component):

Species: *Lepomis macrochirus* (bluegill sunfish)
Exposure time: 21d
Bioconcentration factor (BCF): 104

Biodegradability:

Calcium
dodecylbenzenesulphonate
(component):

Result: readily biodegradable.
Testing period: 28d
Remarks: information given is based on data obtained from similar substances.

Sulfonic acids, petroleum,
calcium salts (component):

Aerobic.
Result: not readily biodegradable.
8.6%

Benzenesulfonic acid, mono-C16-
24-alkyl derivatives, calcium salts
(component):

Aerobic.
Result: according to the results of tests of biodegradability this product is not readily biodegradable.
8%
Method: OECD Test Guideline 301

Further Information on

Ecology:

Additional ecological information
(product):

No data available.
This product is stable in water, and can be mechanically separated from water. The water may be suitable for disposal in a biological waste water treatment plant.



SECTION XIII: DISPOSAL CONSIDERATION

RCRA 40 CFR 261 Classification: Not Listed

US EPA Waste Number / Classification: Not Available

Waste Disposal: Dispose of waste material in compliance with all federal, state, provincial and local regulations. Incinerate in a furnace or bury in an approved landfill where permitted under appropriate federal, provincial and local regulations.

SECTION XIV: Transport Information

Department of Transport:	Not regulated under DOT
TDG – Canada:	Not regulated under TDG
DOT/TDG Proper Shipping Name:	None
DOT/TDG Hazard Class:	None
Product Identification Number:	None
Packing Group:	None
DOT/TDG Labels: Primary:	None required
Subsidiary:	None required
DOT/TDG Placards:	None required
ADR:	Not dangerous goods
RID:	Not dangerous goods
MERCOSUR:	Not dangerous goods
IATA:	Not dangerous goods
IMDG:	Not dangerous goods

SECTION XV: REGULATORY INFORMATION

CPR Compliance: This product has been classified in accordance with the hazard criteria of *the Controlled Products Regulations* and the SDS contains all of the information required by those regulations.

OSHA Hazard Communication Standards 29CFR 1910.1200: This product is not known to contain any of the carcinogens required to be listed under OSHA Hazards Communication Standards 29 CFR 1910.1200.

WHMIS Classification: D2B



NPRI Components: Diphenylamine CAS# 122-39-4

CERCLA Reportable Quantity:

Calcium dodecylbenzenesulphonate (component): CAS# 26264-06-02
Component RQ (lbs): 1000
Calcium product RQ: calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Reportable Quantity: This material does not contain any components with section 304 EHS RQ.

SARA 311/312 Hazards: Acute Health Hazard

SARA 302: No chemical in this material are subject to the reporting requirements of SARA Title III, Section 302

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


California Prop 65: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

US, TSCA: On TSCA inventory.
DSL: All components are on the Canadian DSL.
AICS: On the inventory, or in compliance with inventory.
NZIoC: On the inventory, or in compliance with inventory.
ENCS: Not in compliance with the inventory.
KECI: On the inventory, or in compliance with inventory.
PICCS: On the inventory, or in compliance with inventory.
IECSC: On the inventory, or in compliance with inventory.



SECTION XVI: Other Information

HMIS Information



Degree of Hazard

4= Severe

3= Serious

2= Moderate

1= Slight

0= Minimal

*=Chronic

Revision Information

Prepared by:	Maryn Research
Phone:	1-403-252-2239
Effective Date:	26 July,2017
Supersedes:	20 January 2015
Revision:	2.0

Maryn International Ltd. (the "Company"), shall not be liable for any damages arising from the information contained on this data sheet howsoever caused, if the product in question is not employed in a normal or foreseeable use or circumstances. The Company shall not be liable for any indirect or consequential damages arising out of the use of the information contained on this data sheet howsoever caused.