Univar USA Inc Material Safety Data Sheet

MSDS No:	MZM0156
Version No:	005 2007-10-15
Order No:	

Univar USA Inc., 17425 NE Union Hill Rd., Redmond WA 98052
(425) 889 3400

Emergency Assistance

For emergency assistance involving chemicals call
Chemtrec - (800) 424-9300

The Version Date and Number for this MSDS is : 10/15/2007 - #005

PRODUCT NAME: MAGNESIUM CHLORIDE

MSDS NUMBER: MZM0156

DATE ISSUED: 10/11/2007

SUPERSEDES: 01/04/2005

ISSUED BY: 008614

==========

MAGNESIUM CHLORIDE

==========

1. PRODUCT IDENTIFICATION

SYNONYMS: MAGNESIUM CHLORIDE, HEXAHYDRATE; MAGNESIUM CHLORIDE, 6-HYDRATE, CRYSTAL
CAS NO: 7786-30-3 (ANHYDROUS); 7791-18-6 (HEXAHYDRATE)
MOLECULAR WEIGHT: 203.30
CHEMICAL FORMULA: MGCL2 6H2O

==========

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	CAS NO	PERCENT	HAZARDOUS
MAGNESIUM CHLORIDE	7786-30-3	98 - 100%	YES

==========

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION! MAY BE HARMFUL IF SWALLOWED.

POTENTIAL HEALTH EFFECTS

INHALATION:
INHALATION OF DUST MAY CAUSE MILD IRRITATION TO THE MUCOUS MEMBRANES.

INGESTION:
SINCE MAGNESIUM SALTS ARE SLOWLY ABSORBED, ABDOMINAL PAIN, VOMITING AND DIARRHEA MAY BE THE ONLY SYMPTOMS. HOWEVER, IF ELIMINATION IS BLOCKED BY

Annotation:
BOWEL BLOCKAGE OR OTHER REASONS, CNS DEPRESSION, LACK OF REFLEXES, HYPOCALCEMIA (DEFICIENCY OF CALCIUM IN THE BLOOD) MAY OCCUR.

SKIN CONTACT:
NO ADVERSE EFFECTS EXPECTED BUT MAY CAUSE MINOR SKIN IRRITATION.

EYE CONTACT:
NO ADVERSE EFFECTS EXPECTED BUT DUST MAY CAUSE MECHANICAL IRRITATION.

CHRONIC EXPOSURE:
NO INFORMATION FOUND.

AGGRAVATION OF PRE-EXISTING CONDITIONS:
NO INFORMATION FOUND.

==========

4. FIRST AID MEASURES

INHALATION:
REMOVE TO FRESH AIR. GET MEDICAL ATTENTION FOR ANY BREATHING DIFFICULTY.

INGESTION:
GIVE SEVERAL GLASSES OF WATER TO DRINK TO DILUTE. IF LARGE AMOUNTS WERE SWALLOWED, GET MEDICAL ADVICE.

SKIN CONTACT:
REMOVE ANY CONTAMINATED CLOTHING. WASH SKIN WITH SOAP AND WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS OR PERSISTS.

EYE CONTACT:
WASH THOROUGHLY WITH RUNNING WATER. GET MEDICAL ADVICE IF IRRITATION DEVELOPS.

NOTE TO PHYSICIAN:
IV ADMINISTRATION OF CALCIUM GLUCONATE WILL PARTIALLY REVERSE THE EFFECTS OF ACUTE MAGNESIUM TOXICITY. VENTRICULAR SUPPORT WITH CALCIUM CHLORIDE INFUSION AND MANNITOL FORCED DIURESIS HAS ALSO BEEN SUCCESSFUL.

==========

5. FIRE FIGHTING MEASURES

FIRE:
NOT CONSIDERED TO BE A FIRE HAZARD.

EXPLOSION:
NOT CONSIDERED TO BE AN EXPLOSION HAZARD. AT ROOM TEMPERATURE THE ADDITION OF MAGNESIUM CHLORIDE TO FURAN-2-PEROXYCARBOXYLIC ACID, WILL CAUSE THE ACID TO EXPLODE.

FIRE EXTINGUISHING MEDIA:
USE ANY MEANS SUITABLE FOR EXTINGUISHING SURROUNDING FIRE.

SPECIAL INFORMATION:
IN THE EVENT OF A FIRE, WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE PRESSURE DEMAND OR OTHER POSITIVE PRESSURE MODE.

==========

6. ACCIDENTAL RELEASE MEASURES

VENTILATE AREA OF LEAK OR SPILL. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT AS SPECIFIED IN SECTION 8. SPILLS: SWEEP UP AND CONTAINERIZE FOR RECLAMATION OR DISPOSAL. VACUUMING OR WET SWEEPING MAY BE USED TO AVOID DUST DISPERSAL.

==========

7. HANDLING AND STORAGE

KEEP IN A TIGHTLY CLOSED CONTAINER, STORED IN A COOL, DRY, VENTILATED AREA. PROTECT AGAINST PHYSICAL DAMAGE. ISOLATE FROM INCOMPATIBLE SUBSTANCES. CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTY SINCE THEY RETAIN PRODUCT RESIDUES (DUST, SOLIDS); OBSERVE ALL WARNINGS AND PRECAUTIONS LISTED FOR THE PRODUCT.

==========

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

AIRBORNE EXPOSURE LIMITS:
NONE ESTABLISHED.

VENTILATION SYSTEM:
A SYSTEM OF LOCAL AND/OR GENERAL EXHAUST IS RECOMMENDED TO KEEP EMPLOYEE EXPOSURES AS LOW AS POSSIBLE. LOCAL EXHAUST VENTILATION IS GENERALLY PREFERRED BECAUSE IT CAN CONTROL THE EMISSIONS OF THE CONTAMINANT AT ITS SOURCE, PREVENTING DISPERSION OF IT INTO THE GENERAL WORK AREA. PLEASE REFER TO THE ACGIH DOCUMENT, "INDUSTRIAL VENTILATION, A MANUAL OF RECOMMENDED PRACTICES", MOST RECENT EDITION, FOR DETAILS.

PERSONAL RESPIRATORS (NIOSH APPROVED):
FOR CONDITIONS OF USE WHERE EXPOSURE TO DUST OR MIST IS APPARENT AND ENGINEERING CONTROLS ARE NOT FEASIBLE, A PARTICULATE RESPIRATOR (NIOSH TYPE N95 OR BETTER FILTERS) MAY BE WORN. IF OIL PARTICLES (E.G. LUBRICANTS, CUTTING FLUIDS, GLYCERINE, ETC.) ARE PRESENT, USE A NIOSH TYPE R OR P FILTER. FOR EMERGENCIES OR INSTANCES WHERE THE EXPOSURE LEVELS ARE NOT KNOWN, USE A FULL-FACE POSITIVE-PRESSURE, AIR-SUPPLIED RESPIRATOR.
WARNING: AIR-PURIFYING RESPIRATORS DO NOT PROTECT WORKERS IN OXYGEN-DEFICIENT ATMOSPHERES.

SKIN PROTECTION:
WEAR PROTECTIVE GLOVES AND CLEAN BODY-COVERING CLOTHING.

EYE PROTECTION:
USE CHEMICAL SAFETY GOGGLES. MAINTAIN EYE WASH FOUNTAIN AND QUICK-DRENCH FACILITIES IN WORK AREA.

==========

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:
COLORLESS FLAKES OR CRYSTALS.

ODOR:
ODORLESS.

SOLUBILITY:
167G/100ML WATER @ 20C (68F)

DENSITY:
1.57

PH:
5% IN WATER IS NEUTRAL TO LITMUS.

BOILING POINT:
NOT APPLICABLE.

MELTING POINT:
118C (244F)

VAPOR DENSITY (AIR=1):
NO INFORMATION FOUND.

VAPOR PRESSURE (MM HG):
NO INFORMATION FOUND.

EVAPORATION RATE (BUAC=1):
NO INFORMATION FOUND.

% VOLATILES BY VOLUME @ 21C (70F):
0

==========

10. STABILITY AND REACTIVITY

STABILITY:
STABLE UNDER ORDINARY CONDITIONS OF USE AND STORAGE. BY STRONG IGNITION IS CONVERTED INTO OXYCHLORIDE.

HAZARDOUS DECOMPOSITION PRODUCTS:
WHEN HEATED TO DECOMPOSITION IT EMITS CORROSIVE HYDROCHLORIC ACID VAPOR. WHEN HEATED TO TEMPERATURES ABOVE 300C (572F) IT EMITS TOXIC FUMES OF CHLORINE GAS.

HAZARDOUS POLYMERIZATION:
WILL NOT OCCUR.

INCOMPATIBILITIES:
FURAN-2-PEROXYCARBOXYLIC ACID. STRONG OXIDIZING AGENTS WILL RELEASE CHLORINE.

CONDITIONS TO AVOID:

Annotation:
HEAT, MOISTURE, INCOMPATIBLES.

==========

11. TOXICOLOGICAL INFORMATION

ORAL RAT LD50: 8100MG/KG. INVESTIGATED AS A MUTAGEN.

--------/CANCER LISTS/----------

INGREDIENT	---NTP CARCINOGEN--- KNOWN	ANTICIPATED	IARC CATEGORY
MAGNESIUM CHLORIDE (7786-30-3)	NO	NO	NONE

==========

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:
NO INFORMATION FOUND.

ENVIRONMENTAL TOXICITY:
NO INFORMATION FOUND.

==========

13. DISPOSAL CONSIDERATIONS

WHATEVER CANNOT BE SAVED FOR RECOVERY OR RECYCLING SHOULD BE MANAGED IN AN APPROPRIATE AND APPROVED WASTE DISPOSAL FACILITY. PROCESSING, USE OR CONTAMINATION OF THIS PRODUCT MAY CHANGE THE WASTE MANAGEMENT OPTIONS. STATE AND LOCAL DISPOSAL REGULATIONS MAY DIFFER FROM FEDERAL DISPOSAL REGULATIONS.

DISPOSE OF CONTAINER AND UNUSED CONTENTS IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REQUIREMENTS.

==========

14. TRANSPORT INFORMATION

NOT REGULATED.

==========

15. REGULATORY INFORMATION

--------/CHEMICAL INVENTORY STATUS - PART 1/----------

INGREDIENT	TSCA	EC	JAPAN	AUSTRALIA
MAGNESIUM CHLORIDE (7786-30-3)	YES	YES	YES	YES

--------/CHEMICAL INVENTORY STATUS - PART 2/--------------------------------

INGREDIENT	KOREA	--CANADA-- DSL	NDSL	PHIL.
MAGNESIUM CHLORIDE (7786-30-3)	YES	YES	NO	YES

-------/FEDERAL, STATE & INTERNATIONAL REGULATIONS - PART 1/---------------

INGREDIENT	-SARA 302- RQ	TPQ	------SARA 313----- LIST	CHEMICAL CATG
MAGNESIUM CHLORIDE (7786-30-3)	NO	NO	NO	NO

--------/FEDERAL, STATE & INTERNATIONAL REGULATIONS - PART 2/--------------

INGREDIENT	CERCLA	-RCRA- 261.33	-TSCA- 8(D)
MAGNESIUM CHLORIDE (7786-30-3)	NO	NO	NO

CHEMICAL WEAPONS CONVENTION: NO TSCA 12(B): NO CDTA: NO
SARA 311/312: ACUTE: YES CHRONIC: NO FIRE: NO PRESSURE: NO
REACTIVITY: NO (PURE / SOLID)

AUSTRALIAN HAZCHEM CODE: NONE ALLOCATED.
POISON SCHEDULE: NONE ALLOCATED.

WHMIS: THIS MSDS HAS BEEN PREPARED ACCORDING TO THE HAZARD CRITERIA OF
THE CONTROLLED PRODUCTS REGULATIONS (CPR) AND THE MSDS CONTAINS
ALL OF THE INFORMATION REQUIRED BY THE CPR.

==========

16. OTHER INFORMATION

NFPA RATINGS:
HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 0

Univar USA Inc Material Safety Data Sheet

For Additional Information contact MSDS Coordinator during business hours, Pacific time: (425) 889-3400

Notice

Univar USA Inc. (”Univar”) expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this MSDS as a product specification. For product specification information refer to a product specification sheet and/or a certificate of analysis. These can be obtained from your local Univar sales office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Univar makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Univar's control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process