

Monogram Chimney Hood



One chimney hood.

Two striking design possibilities.

Splendidly exposed or discreetly concealed. The new Monogram® chimney hood makes either look possible. For a dramatic, modern statement, highlight the hood on an open wall. A custom, built-in appearance is achieved by installing the duct behind cabinetry or walls.

No matter which design option you choose, the retractable glass canopy enhances your kitchen with magnificently minimalist style. Expertly crafted and finished, the slim-profile canopy captures the essence of sophistication, while helping to keep your kitchen free of smoke and steam.



Poised above a Monogram black digital cooktop (ZEU36RBFBB) and single oven (ZET938BFBB), the chimney hood with retractable canopy brings high style and striking design to the kitchen.



For an understated look, the Monogram chimney hood can be installed behind cabinetry.



ZV800SJSS 36" Stainless Steel, Chimney Hood



ZV800BJBB 36" Black, Chimney Hood



The glass ventilation canopy can be extended to capture additional cooking fumes. It also retracts flush with the stainless steel frame.

General Features

Under-cabinet or stand-alone installation. The chimney hood installs flush under a cabinet, above most cooktops and ranges. For a more contemporary look, the system can be wall-mounted with matching 8-to-10-ft. duct cover.

Low-profile design. High-impact style. The retractable glass canopy is sleekly styled with a streamlined design, seamlessly finished edges and front-mounted touch controls.

Powerful ventilation. A four-speed, 500-CFM fan blower with boost option captures the smoke and steam produced by high-performance cooking equipment.

Multilevel halogen lighting. Six levels of intensity, from accent to ambient settings, allow you to choose the lighting to match the cooking task or occasion.


Easy maintenance. Stainless steel filters can be easily removed for safe cleaning in your dishwasher.

Recirculating kit. Included for applications that do not allow outside venting.

Monogram Chimney Hood

ZV800SJSS Stainless Steel ZV800BJBB Black Chimney Hood

See Monogram® Chimney Hood Installation Instructions, before installing for current dimensional data.



	ZV800SJSS	ZV800BJBB
Description	36" Vent Hood	36" Vent Hood
Performance		
Electronic Touch Controls	•	•
Vertical Exhaust Blower Rating	500 CFM	500 CFM
Boost Mode	•	•
Convenience		
Retractable Glass Canopy	•	•
Halogen Lamps	2	2
Variable Lighting Control	6-Level	6-Level
Stainless Steel Removable Filters	2	2
Variable-Speed Fan	4-Level	4-Level
Blower-On Indicator Light	•	•
Exhaust Options		
6" Round Exhaust Duct	•	•
Exhaust Damper	•	•
8' - 10' Ceiling Duct Cover	• (included)	• (included)
Recirculating Option/ Reversible Duct Cover	• (included)	• (included)
Appearance		
Color Appearance	Stainless Steel	Black
General Features		
Overall Dimensions Hood Retracted (WxHxD in inches)	36 x 1-1/2 x 13-11/16	36 x 1-1/2 x 13-11/16
Overall Dimensions Hood Extended (WxHxD in inches)	36 x 1-1/2 x 18-15/16	36 x 1-1/2 x 18-15/16
Amps @ 120VAC	6	6
Approx. Shipping Weight (lbs.)	100	100
Full Warranty*	1-Year	1-Year

*See written warranty for details.



Monogram®

GE Consumer & Industrial
General Electric Company
Louisville, Kentucky 40225

ge.com

Product improvement is a continuing endeavor at General Electric. Therefore, materials, appearance and specifications are subject to change without notice.

© 2004 GE Company Publication Number 24-M574 PC38744