

# AGA Professional

## 48" Gas Range with RapidBake Convection™

APRO48AGSS



### Oven Features

- Two ovens totaling 6.7 cubic ft. of oven capacity - 30" Extra Large oven has 4.2 cubic ft. and 18" oven has 2.5 cubic ft.
- RapidBake Convection™ speeds 350°F pre-heat time in 10 minutes
- Easy Clean™ Technology with black vitreous enamel interior
- Cool Flow™ Technology integrated automatic cooling system clears hot air making range surface cooler to touch
- Powerful infrared convection oven Broiler with Porcelain enameled broiler pan with grid
- Both ovens includes 3 oven racks and has 5 rack positions
- 30" Convection oven uses two long-lasting halogen bulbs and 18" Conventional oven uses 1 long-lasting halogen bulb for optimal illumination while cooking



### Cooktop Features

- True Dual Flame™ double ring brass burners eliminate center cold spots and provide the most even heating
- One Stainless Steel Griddle (18"H x 11.25"W) with a 3.5"H grease catch for easy cleaning
- Griddle cover creates additional workspace when griddle not in use
- Continuous, easy-to-clean matte finish cast iron grates



### Cooktop Specifications

- 3 - 15,000/700 Btu
- 3 - 12,000/2,800 Btu
- 1 - 15,000 Btu



AGA Kitchen Concierge  
800-525-5601

#AGAProPower

[www.aga-ranges.com](http://www.aga-ranges.com)

# AGA Professional

## 48" Gas Range with RapidBake Convection™

APRO48AGSS



### Technical Details

Circuit Breaker (A)	15A
Volts (V)	120v
Frequency (Hz)	60 Hz
Plug Type	120V 3-prong
Power Cord Length	5 ft.
Energy Source	Gas
Gas Type	Natural Gas
Alternative Gas Type	Liquid Propane LP Conversion Kit Included

### Dimensions & Weights

Overall Dimensions	30"W x 27 1/2"D x 48"H (39 3/4"H to top of back splash)
Weight	266 lbs.
Shipping Weight	348.5 lbs.

### Accessories Included

- 1 - Porcelain enameled broiler pan with grid
- 1 - Broiler pan insert
- 3 - 30" Oven Racks
- 3 - 18" Oven Racks
- 1 - Griddle Cover
- LP Conversion Kit

### General Properties

Oven Capacity	6.7 cu. ft.
Cooking Modes - Main Cavity	Bake, Convection Bake, Broil
Cooking Modes - Second Cavity	Bake
Lighting	Long-lasting Halogen Bulbs; 2 Main and 1 Second
Cleaning Type	EasyClean™ Vitreous Enamel
Grate Type	Continuous Cast Iron
Controls	Die Cast Metal Knobs
Sealed Burners	Yes

### Oven Performance

Convection Bake Power	22,000 BTU (NG)
Bake Power	14,000 BTU (NG)
Broiler Power	16,5000 BTU (NG)
Broiler Type	Infrared

### Cooktop Performance

Number of Burners	6
Power of Front Left Burner BTU	15,000 Btu High 700 Btu Low
Power of Back Left Burner BTU	12,000 Btu High 2,800 Btu Low
Power of Front Center Burner BTU	15,000 Btu High 700 Btu Low
Power of Back Center Burner BTU	12,000 Btu High 2,800 Btu Low
Power of Front Right Burner BTU	15,000 Btu High 700 Btu Low
Power of Back Right Burner BTU	12,000 Btu High 2,800 Btu Low

### Griddle Performance

Location of Griddle	Left Center
Power of Griddle	15,000 Btu Gas
Griddle Dimensions	18"D x 11 1/4"W with 3 1/2" Grease Trap

### Warranty

2 Years Warranty, Entire Appliance, Parts and Labor



AGA Kitchen Concierge  
800-525-5601


#AGAProPower

www.aga-ranges.com


# AGA Professional

## 48" Gas Range with RapidBake Convection™


APRO48AGSS



### Standard Installation



### Electrical Connection



AGA Kitchen Concierge  
800-525-5601

#AGAProPower

www.aga-ranges.com