

SPECIFICATIONS


Overall Width	23 1/2" (59.7 cm)
Overall Height	34 1/8" (86.7 cm)
Overall Depth	23 3/16" (58.9 cm)
Door Clearance	9 3/8" (23.8 cm) @ 110° 2" (5.1 cm) @ 90° 23 7/8" (60.6) door length
Overall Capacity	4.25 cu. ft.
Minimum Cabinet Width	23 3/4" (60.3 cm)
Minimum Cabinet Depth	24" (60.9 cm)
Cutout Width	23 3/4" (60.3 cm)
Cutout Height	34 1/2" (87.7 cm) Min 35" (89 cm) Max
Electrical Require- ments	2.0 A
Voltz/Hertz/Amps	120 V, 60 Hz, 15 or 20 amp circuit
Shipping Weight	126 lb (57 kg)


ATTENTION ELECTRICIAN:


A 115 volt 60Hz., 15 or 20 amp power supply is required. An individual properly grounded branch circuit or circuit breaker is recommended. Install a properly grounded 3-prong electrical receptacle recessed into the back wall.

MONOGRAM

OVERALL DIMENSIONS









Dimensions in parentheses are in centimeters unless otherwise noted.

Actual product dimension may vary due to manufacturing tolerances.

INSTALLATION



FLUSH CUTOUT INSTALLATION SIDE VIEW



INSTALLATION CUTOUT FRONT VIEW

NOTES

Note: If installing between frameless cabinets, a 1/2" wide filler strip or side panel may be required. The filler strip will act as a spacer between the door case and adjacent cabinet and will prevent interference with cabinet door swing. The width of the opening must include filler panels.

The cutout depth must be 24"

The cutout dimensions shown allow for a full door swing and access to the pull-out racks when installed as a built-in.

The Bar Refrigerator with Icemaker can be freestanding.

The stainless steel model ZIBS240PSS can be installed flush with standard cabinetry.

 A water line must be installed for icemaker operation.

FEATURES AND BENEFITS

AUTOMATIC ICEMAKER ON FULL-EXTENSION SLIDES Makes ice automatically to ensure a ready supply

ADJUSTABLE TEMPERATURE CONTROL Maintains a consistent temperature

LED TEMPERATURE DISPLAY
Allows you to monitor the temperature at a glance

REMOVABLE ICE BIN Holds up to 8 lbs. of ice

REMOVABLE SPILLPROOF GLASS SHELVES Helps contain spills for ease of cleaning

FLUSH INSTALLATION Allows near-seamless integration with surrounding cabinetry

STAINLESS STEEL TUBULAR HANDLE Designed to coordinate with other Monogram appliances

STAINLESS STEEL EXTERIOR
Convey a look of utmost polish and sophistication

LED LIGHTING
Places contents into clear, brilliant view

BEVERAGE SHELF ON FULL-EXTENSION SLIDES Holds up to five wine bottles or ten 12-oz. cans



